www.gys.fr

GYS

CAR BODY WELDING SYSTEMS 2024B

INVEST IN THE FUTURE

French manufacturer
since 1964

Celebrating

60

years of innovation

1964 - 2024

Collision Repair

Solutions Réparation Carrosserie

Karosseriereparatur

Attrezzature Riparazione Carrozzerie

Reparación de Carrocería

2024B

SPOT WELDING - DENT PULLER - MIG-MAG/GMAW-FCAW - PLASMA CUTTING -
INDUCTION - RIVETING - LIFT - BODYSHOP TOOLS

A solid manufacturing group

900 people

€ 130 000 000

C1+
Credit Rating
Banque de France

55 000 m²
2 factories

GYS
INVEST IN THE FUTURE

French manufacturer since 1964

A family company

Nicolas & Bruno Bouygues

Welding, Plasma cutting & Induction heating

Collision repair

Chargers, Boosters & Starters

A worldwide coverage

125 countries

GYS FRANCE
Laval

GYS GERMANY
Aachen

GYS U.K.
Rugby

GYS CHINA
Shanghaï

GYS ITALIA
Venezia

GYS IBERICA
Madrid

www.gys.fr

visit with

DENT PULLING

GYSPOT	6
GYSPOT PRO	7
GYSPOT ALU	8
GYSPOT COMBI	9
ACCESSORIES & CONSUMABLES	10
GYSPOT ARCPULL	12
COMBI ARCPULL	13
ACCESSORIES & CONSUMABLES	16
FAST EASY TOOLS	18
ACCESSORIES LEVELLING BARS	20
COMPLETE WORKSTATIONS	24

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	38
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

PAINTLESS DENT REPAIR

POWERDUCTION AUTO DENT REPAIR	46
GLUE PULLING REPAIR	50

SPOT WELDING

TECHNOLOGY	54
PORTASPOT / GYSPOT 32D-X / 100R-CX	56
GYSPOT BP GENIUS	58
GYSPOT PTI-S7 / PTI PREMIUM PRO	60
GYSPOT PTI GENIUS	62
GYSPOT PTI NEO	64
GYSPOT PTI MASTER / PTI EXPERT	66
G ARMS	68
ACCESSORIES & CONSUMABLES	69
X ARMS / C ARMS	70

RIVETING

GYSPRESS 10T	73
GYSPRESS PREMIUM 10T PP	75
WORKSTATION	76
ADAPTERS	78
DIES BOXES & RIVETS	80
ACCESSORIES	83

MIG WELDING

GYS AUTO	86
E GYS AUTO	88
P GYS AUTO	90
AUTOPULSE	92
TORCHES & CONSUMABLES	96

PLASMA

EASYCUT K	101
EASYCUT	102
CUTTER	103

INDUCTION HEATING

GYSDUCTION	106
COMBIDUCTION	107
POWERDUCTION	108
ACCESSORIES & CONSUMABLES	112

TRUCK TOOLS & MOBILE LIFTS

TROLLEY IW1	115
MULTITOOL TRUCK	115
SPOT LIFT	116
QUICKLIFT / AIR JACKS	118
ERGO LIFT	119
MANUAL DOOR LIFT / MANUAL WHEEL LIFT	120

ACCESSORIES

WELDING HELMETS	122
FUME EXTRACTION	125
WINDSCREEN REPAIR	123
BUMPER REPAIR	128
HAND TOOLS	130
PNEUMATIC TOOLS	134
WORKING LIGHTS	136
SANDING & DUST EXTRACTION	138
WORKING SUPPORTS	140
ELECTRIC VEHICLES	144
SAFETY PROTECTION	146

DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6
GYSPOT PRO 7

ALU

GYSPOT ALU 8

ALU + STEEL / ACIER / STAHL

GYSPOT COMBI 9
ACCESSORIES & CONSUMABLES 10

DRAWN ARC
ALU + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12
COMBI ARCPULL 13
ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18
LEVELLING BARS 20

COMPLETE WORKSTATIONS 24

DENT PULLING
STEEL
ACIER - STAHL

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.24

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

FIXED GUN

GYSPOT 26.02

2600 A	×1 AUTOMATIC
230 V • 1 ~	

052208

included



Automatic quick gun, 1.8 m, 70 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² + Electrode warming point + Star copper coating (x3)

GYSPOT 27.02

2600 A	×1 MANUAL
230 V • 1 ~	

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705) + Hammer (057272)

Earth cable 1.7 m, 50 mm² + Electrode warming point + Star copper coating (x3)

FIXED GUN

GYSPOT 34.02 & 34.04

3500 A	×1 MANUAL
230 V • 1 ~	GYSPOT 34.02 065741
400 V • 2 ~	GYSPOT 34.04 067943

included



Manual quick gun, 2 m, 50 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² + Electrode warming point + Star copper coating (x3)

QUICK GUNS



PATENTS REGISTERED NUMBERS 001830845-0001 EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517

WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL

WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, EXPERT 200/230/400, COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04

Mandrels for gun - Mandrins pour pistolets - Pistole & Anschlußstücke, Zubehör

QUICK GUN
057531

D1
048959

Nut - Écrou
053199

Microswitch
053267

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

SYNERGIC CONTROL — PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN

EXPERT ★★★ SYNERGIC & MANUAL CONTROL

Welding current adjusment — Welding time adjusment

GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A	×1 AUTOMATIC
230 V • 1 ~	GYSPOT 39.02 052215
400 V • 2 ~	GYSPOT 39.04 052222

included



Automatic quick gun, 2 m, 70 mm² (057517) + Hammer (057272)

Earth cable 2 m, 70 mm² + SPOTTER BOX STANDARD (053915) (Details p.10)

GYSPOT PRO 230 & PRO 400

3800 A	×2 AUTOMATIC MANUAL
230 V • 1 ~	GYSPOT PRO 230 052178
400 V • 2 ~	GYSPOT PRO 400 052185

included



Automatic quick gun, 3 m, 50 mm² (057500) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable 2 m, 70 mm² + SPOTTER BOX PRO (050075) (Details p.10)

GYSPOT EXPERT 200, 230 & 400

3800-4500 A	×2 AUTOMATIC MANUAL
230 V • 1 ~ 3800 A	GYSPOT EXPERT 230 066885
200-240 V • 1 ~ 4350 › 5100 A	GYSPOT EXPERT 200 058842
400 V • 2 ~ 4500 A	GYSPOT EXPERT 400 058859

included

Automatic quick gun, 3 m, 70 mm² (059207) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm 2 m, 70 mm² + SPOTTER BOX PRO (050075) (Details p.10)

		CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	I RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT 26.02		230 V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02		230 V	2 m	2600	5,4	16	1800	10	OK	—	■	—	■	—	—	■	—	40 x 25 x 31 / 18
	GYSPOT 34.02		230 V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04		400 V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24
MADE IN FRANCE	GYSPOT 39.02		230 V	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04		400 V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 25.2
	GYSPOT PRO 230		230 V	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400		400 V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200		200-240 V	8 m	4350 › 5100	7,2-8,7	30(D)	3100 › 3600	25 › 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230		230 V	8 m	3800	7,4	16	2800	20	OK	OK	■	■	■	■	■	■	■	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 400		400 V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 32.9

DENT PULLING
ALU

Youtube

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN

Alu

Goujons - Studs

NEW

FIXED GUN

GYSPOT ALU 66

13000 A | ×1 AUTOMATIC

230 V • 1 ~ | AD

080188

included — for Ø 4 mm

Automatic alu gun 3 m, 25 mm²

+ ALU BOX STANDARD (050020) (Details p.11)

AD ANTI-DUST

GYSPOT ALU PRO FV

13000 A | ×1 AUTOMATIC

110 › 230 V • 1 ~ | FV

021990

included — for Ø 4 mm

Automatic alu gun 3 m, 25 mm²

+ ALU BOX STANDARD (050020) (Details p.11)

FV FLEXIBLE VOLTAGE

85 V — 265 V

110 V — 230 V

45 m

ALU GUN

PATENTS REGISTERED NUMBERS 002446450-0001 EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV & COMBISPOT 230

054066

(x 3) 065635

with connectors for COMBISPOT 230

66 mF CAPACITOR DISCHARGE WELDING

Ø 4mm



Joint rings for mandrel Ø 4/5/6 × 2 060814

OPTIONS

Consumables - Consommables p.11

ALU accessories - Accessoires ALU p.19

Trolleys - Chariots p.24

DENT PULLING
ALU+STEEL
ACIER - STAHL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl

Alu

- Stars - Étoiles
- Rings - Anneaux
- Wavy wires - Fils ondulés
- Impact shrinking - Rabattage d'impact
- Tempering - Rétreinte
- Rivets - Rivets
- Rings - Rondelles
- Studs - Goujons

GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl

13000 A Alu

230 V • 1 ~

×2 — AUTOMATIC / MANUAL / AUTOMATIC

021266

included

Manual quick gun, 2 m, 70 mm² (057524) + Hammer (057272)

+ **Automatic alu gun,** 3 m, 25 mm²



Earth cable 2 m, 70 mm²

+ SPOTTER BOX PRO (050075) (Details p.10)

+ ALU BOX STANDARD (050020) (Details p.11)

	CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT ALU 66	230 V	6 m	13 000	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	Included Alu box	27 x 20.5 x 27 / 13.5
MADE IN FRANCE	GYSPOT ALU PRO FV	110 › 230 V	6 m	13 000	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	Included Alu box	49 x 38 x 29 / 13.4
	GYSPOT COMBI 230 E.PRO	230 V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 47.5

STEEL / ACIER / STAHL

DENT BOX
CONSUMABLES / BAR / EASY

SPOTTER BOX
STANDARD / 2600 / 2700

SPOTTER BOX
PRO





	hexagon	Earth plate small	Star - Étoile - Ausbeulstern: chuck for inertia hammer	Star - Étoile - Ausbeulstern: copper coating star	Ring - Rondelle - Unterlegscheiben: electrode ø 16 for 8 x 16	Ring - Rondelle - Unterlegscheiben: ø 8 x 16	Ring - Rondelle - Unterlegscheiben: earth hook	Tempering - Rétreinte - Temperieren: carbon heating electrode	Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten: electrode warming point ø 16	Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten: Ball electrode warming point Ø16	Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten: M8 (for spot welding machine only)	Wavy wire - Fil ondulé - Wellendraht: elec-trode	Wavy wire - Fil ondulé - Wellendraht: wavy wire	Wavy wire - Fil ondulé - Wellendraht: magnetic positioner
			×1	×20	× 1	×100	×1	×5	×1	×1	×100	×1	×50	×1
			049482	052239	049574	049444	056718	049468	049567	059726	050303	049789	049727	049772
DENT BOX														
BEST SELLER — CONSUMABLES 051515				×20									×25	
BAR 050037 — ideal PROLINER												×1	×25	
EASY 053632 — included EASYLINER	×1	×1	×1	×20	×1	×50	×1	×1	×1			×1	×25	
SPOTTER BOX														
PRO 050075 — included PRO, EXPERT & COMBI 230	×1	×1	×1	×20	×1	×50	×1	×1	×1					
STANDARD 053915	×1	×1	×1	×20	×1	×50	×1	×1	×1					
2600 052277 — ideal GYSPOT 2600				×20	×1	×50	×1							
2700 053922 — ideal GYSPOT 2700				×20	×1	×50	×1	×1						



	Rings - Anneaux - Zugösen: elec-trode	Rings: straight rings	Rings: twisted rings	Rings: lifting rod	Studs - Goujons - Gewindebolzen: electrode for threaded studs rivets ø 5 - M5, M6	Studs: threaded M5 x 18 x 0.8	Studs: self-threading ø 5 x 18	Studs: ø 5 x 12	Rivets - Rivets - Nieten: electrode ø 16, 3 x 4,50	Rivets: ø 3 x 3.25	Rivets: ø 3 x 4.50	Nails - Clous: electrode ø2 - M4	Nails: ø2	Stitch welding - Molette: electrode wheel ø16 (for spot welding machine only)
	×1	×100	×50	×3 180, 300, 500 mm	×1	×100	×100	×100	×1	×100	×100	×1	×100	×1
	050655	050648	050631	050792	049598	049383	049420	049413	049604	049345	049352	049277	041561	050310
DENT BOX														
BEST SELLER — CONSUMABLES 051515		×50	×25											
BAR 050037 — ideal PROLINER	×1	×50		×1 180mm										
EASY 053632 — included EASYLINER	×1	×50		×1 180mm										
SPOTTER BOX														
PRO 050075 — included PRO, EXPERT & COMBI 230					×1	×50	×50	×50	×1	×100	×100			
STANDARD 053915														
2600 052277 — ideal GYSPOT 2600														
2700 053922 — ideal GYSPOT 2700														



	Stitch welding - Molette: flat n°27	Stitch welding: Earth plate large	Stitch welding: magnetic (Rubber pad 062399)	Stitch welding: Steel gun earth adapter Ø 25 mm²
	×1	×1	×1	×1
	049673	052529	049666	051997
DENT BOX				
BEST SELLER — CONSUMABLES 051515				
BAR 050037 — ideal PROLINER				
EASY 053632 — included EASYLINER				
SPOTTER BOX				
PRO 050075 — included PRO, EXPERT & COMBI 230				
STANDARD 053915				
2600 052277 — ideal GYSPOT 2600				
2700 053922 — ideal GYSPOT 2700				


ELECTRODE FOR MAGNETIC EARTH (x1)
050013

THREADED ROD FOR MAGNETIC EARTH (x5)
055438

SINGLE HOOK (x1)
051218


Curved lifting rod 280 mm
064706

Steel Ring sharpener
- Affuteur d'anneaux acier
- Stahl Zugösenschneider
072565

072299
Pneumatic punch and die sharpener for steel rings
Poinçon et matrice affuteur pneumatique pour anneaux acier

SLIDE HAMMERS - Marteaux inertie - Ausbeulhammer

COMPLETE
057272



COMPLETE KIT
051225



Nails - Clous - Nägel
041813

1.1 kg

Ø 2, M4 (x1)
049277

Ø 2 (x100)
041561

MIG/MAG nozzle for Nail welding
041523

Washers - Rondelles - Ringe
051201

1.7 kg



Ø 16, 8x16 (x1)
049574

8x16 (x100)
049444

(x1)
051218

Pulling handle 3 claws
- Poignée de tirage 3 dents
- Handzugkralle 3-fach
057326

057302

Pulling handle with hook
- Poignée de tirage avec crochet
057319

082021

Slide hammer kit - Kit marteau à inertie - Ausbeulhammerset
051928

6 kg

ALU

Joint rings for mandrel Ø 4/5/6 × 2
060814

ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

	mandrel for ALU GUN: ø 4	mandrel: ø 5	mandrel: ø 6	alu magnesium screws 12 mm: ø 4 - M4	alu magnesium: ø 4 - M4	alu magnesium: ø 5	alu magnesium: ø 6	alu silicium screws 12 mm: ø 4 - M4	alu silicium: ø 4 - M4	alu silicium: ø 5	alu silicium: ø 6	screwable rings: ø4	fast pulling rings: x5	lifting rod: ×3 : 180, 300, 500 mm
	x2	x1	x1	x200	x1000	x100	x100	x200	x1000	x100	x100	x5		
	049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792
ALU BOX														
LIGHT Ø 4 051522				ø 4 ×200				ø 4 ×200						
STANDARD Ø 4 050020 — included GYSPOT ALU & COMBI 230				ø 4 ×200				ø 4 ×200				×5		×1
Ø 5 & 6 048195		×1	×1			ø 5 ×100 + ø 6 ×100				ø 5 ×100 + ø 6 ×100			×5	

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

FV FLEXIBLE VOLTAGE 85 V – 265 V, 10 m

SR SECONDARY REGULATION, I (A) STABLE

AD ANTI-DUST

MANUAL & SYNERGIC CONTROL

SYNERGIC

PRO ★★★

MANUAL

EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching (I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

7 languages
FR, EN, DE, SP, IT, NL & RU

GUN WITH CONNECTOR

SYNERGIC DIGITAL GUNS

★★★★

UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection





3 m, Ø 25 mm²

included
ARCPULL
200 & 350,
COMBI ARCPULL

Full control

Consumables for Gun

x2
059627

x1
059610

GYSPOT ARCPULL 200 CAR BODY REPAIR

100 › 230 V • 1 ~

200 A | ×1 MANUAL

FV SR AD

057470

included

Manual synergic gun
3 m, 25 mm²

ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610

+ Lifting rod 180 mm
(x1) 082915

OPTIONS details p.24

Weld 810
for ARCPULL 200
037489

GYSPOT COMBI ARCPULL

230 V • 1 ~

ARCPULL	EXPERT
200 A	3800 A
Alu	Acier / Steel / Stahl
×1	×1
MANUAL	MANUAL
	OPTION : AUTOMATIC

069824

Arcpull accessories included

Manual synergic gun
3 m, 25 mm²

ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610

+ Lifting rod 180 mm
(x1) 082915

Expert accessories included

Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)



Earth cable
2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

MADE IN FRANCE / CE NORM. 60974-1	50/60 Hz		I2 A	SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	U2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 200 CAR BODY REPAIR	110 › 230 V	6 m	10 › 100 (110 V) 10 › 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL	230 V	8 m	Alu 10 › 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 › 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

SPECIAL TEARING RIVETS

Spécial arrachage de rivets - Spezial-Zugnieten



PFC POWER FACTOR CORRECTION

185 V – 265 V

10 m

SR SECONDARY REGULATION

(A) STABLE

AD ANTI-DUST

SYNERGIC

EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching(I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

MANUAL

7 languages
FR, EN, DE, SP, IT, NL & RU

Ø max
Alu/Fe :
8 mm

Ø max
Alu : 10 mm
Fe : 13 mm

PRO ★★★

5 m, Ø 50 mm²
included
ARC PULL 700

SYNERGIC DIGITAL GUNS

★★★★ DRAWN ARC PROCESS
Gas protection

UNIQUE
Linear
Motor





3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL

Consumables for Gun

x2
059627

x1
059610

GYSPOT ARCPULL 350 CAR BODY REPAIR

208 › 240 V • 1 ~

350 A | ×1 MANUAL

PFC SR AD

082953

included

Manual synergic gun
3 m, 25 mm²

+

ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610

+

ALU RING bag 2 mm
(AlSpec x100)
065703

+

Lifting rod 180 mm
(x1) 082915

OPTIONS

details p.24

Weld 810
for ARCPULL 350
037489

GYSPOT ARCPULL 700 CAR BODY REPAIR

380 › 480 V • 3 ~

680 A | ×1 MANUAL

SR IP 23

OPTIONS

details p.24

Weld 910
for ARCPULL 700
070967

068315

included

Manual synergic gun
5 m, 50 mm²

+

Double earth clamps
700 A, 3 m, 50 mm²
068605

+

Arc Pull Rivet Box 700

+

ALU RING BOX
1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

+

Lifting rod 180 mm
(x1) 082915

+

Gas protection
(x1)
068346

+

Ground studs holder
Ø 6 (x1)
075368
Ø 8 (x1)
075375
Ø 10 (x1)
075382

+

Threaded holder
Ø 5 (x1)
076174
Ø 6 (x1)
068391



MADE IN FRANCE	CE NORM. 60974-1	50/60 Hz		I_2 A	SYNERGIC	Acier/Steel	Alu	TECHNOLOGY Power Factor Correction	TECHNOLOGY Flexible Voltage	U_2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 350 CAR BODY REPAIR		208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34 V	16	1 1.9	OK	OK	48 x 36 x 30 / 17.4
GYSPOT ARCPULL 700 CAR BODY REPAIR		3x 400 V 3x 480 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control		—	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK	60 x 43 x 46 / 27.8

GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL

			mandrel Ø2mm	nail Ø2mm ×50mm	Ø2mm	mandrel Ø4mm	studs M4 ×16mm	inox - stainless steel Ø 4 ×50mm	mandrel Ø5mm	studs M5 ×18mm	self-threading studs M5 ×12mm	self-threading studs M5 ×18mm	mandrel Ø6mm	studs M6 ×20mm	studs internal M4 ×20mm	mandrel Ø7.1mm	studs internal M5 ×20mm	mandrel Ø8mm	studs M8 ×20mm
	×1 059634	×1 059641	×1 064065	×100 041561	×100 064034	×2 049000	×100 059603	×100 064607	×1 048157	×100 049383	×100 049413	×100 049420	×1 048164	×100 063969	×200 063990	×1 064041	×200 064003	×1 064058	×100 063976
STEEL STUDS BOX 200 & 350 059443	×1	×1				×1	×100		×1	×100	×100	×100							

ALU

			mandrel Ø4mm	studs M4 AlMg3 ×16 mm		mandrel Ø5mm	studs M5 AlMg3 ×16mm		mandrel Ø6mm	studs M6 AlMg3 ×16mm	studs internal M4 ×20mm		mandrel Ø7.1mm	studs internal M5 AlMg3 ×20mm		mandrel Ø8mm	studs M8 AlMg3 ×16 mm	
	×1 059634	×1 059641	×2 049000	×100 059573		×1 048157	×100 059580		×1 048164	×100 059597	×200 064010		×1 064041	×200 064027		×1 064058	×100 063983	
ALU STUDS BOX 200 & 350 059436	×1	×1	×1	×100		×1	×100		×1	×100								

ALU RING BOX
1mm / 1.5 mm

	straight rings						twisted rings					
	Al-Special			AlMg3		AlMgSi		Al-Special		AlMg3 - x 50		AlMgSi - x 50
	n°1 1 mm ×100 059535	n°4 1.5mm ×100 059559	n°8 2mm ×100 065703	n°2 1mm ×100 059498	n°5 1.5mm ×100 059511	n°3 1 mm ×100 059450	n°6 1.5mm ×100 059474	n°1 1mm ×50 059542	n°4 1.5mm ×50 059566	n°2 1mm ×50 059504	n°5 1.5mm ×50 059528	n°3 1mm ×50 059467	n°6 1.5mm ×50 059481
box — ALU RING BOX 1 mm 059412	1mm ×50			1mm ×50		1mm ×50		1mm ×20		1mm ×20		1mm ×20
box — ALU RING BOX 1.5 mm 059429	1.5mm ×50			1.5mm ×50		1.5mm ×50		1.5mm ×20		1.5mm ×20		1.5mm ×20
sachet - bag — ALU RING BOX 2 mm 065703	2mm ×100											

Ring holder (x1)
059610

Tension mandrel for M4 (x1)
050327

Earth clamp
Croco T400.70
043787

Double earth clamp
25 mm², 3 m, 350 A
070714



Joint rings for mandrel Ø 4/5/6
x 2
060814



STUDS HOLDER BOX 350 / DIFFICULT ACCESS BOX 350	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641 (Barrel not included in 070813 - Coiffe non incluse dans 070813)	Mandrel - Mandrin Ø2mm ×1 064065	Ø4mm ×2 049000	Ø5mm ×1 048157	Ø6mm ×1 048164	Ø7.1mm ×1 064041	Ø8mm ×1 064058	Long barrel - Canon long Opened - Ouvert x 1 070806	Closed - Fermé x 1 070790	Long mandrel - Mandrin long M4 x 1 070752	M5 x 1 070769	M6 x 1 070776	M8 x 1 070783	25 mm², 3 m, 350 A x 1 070714
STUDS HOLDER BOX 350 064591	×1	×1	×1	×1	×1	×1	×1	×1							×1
ARCPULL DIFFICULT ACCESS BOX 350 070813	×1	×1							×1	×1	×1	×1	×1	×1	×1

Difficult access :

Porte-clou Ø3 - Nail holder Ø3
072251

Clou - Nail Ø3x100 (x100)
072244

To be used with : Earth clamp Croco T400.70 043787



	Stainless steel nail Tige inox Ø 4 x 50 mm x 100 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox —	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641 (Barrel not included in the box - Coiffe non incluse dans le coffret)	mandrel Ø4mm ×2 049000	Rivet extraction insert - Buse d'extraction 24kN Ø 4 x 1 064683	Long barrel - Canon long + mandrin M4 x 1 067721	+ mandrin M5 x 1 070738	Stainless steel nail Tige inox Ø 5 x 50 mm x 100 070745	Rivet extraction insert - Buse d'extraction 50kN Ø 5 x 1 066151
ARCPULL RIVET BOX 1 350 - 24kN 064584	×100	×1	×1	×1	×1	×1				
ARCPULL RIVET BOX 2 350 - 50 kN 073388			×1	×1				×1	×100	×1

Extraction with GYSPRESS & adapters

details p.76



GYSPRESS + adapter **24kN for Ø 4**

GYSPRESS + adapter **50kN for Ø 4 & 5**

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES

	Stainless steel nail - Tige inox Ø 5 x 50 mm x 100 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 x 1 070738	Rivet extraction insert - Buse d'extraction 50 Kn Ø 5 x 1 066151	Mandrel support - Support porte-goujon x 1 071377	Nozzle + pad - Buse + patin (Barrel not included in the box - Coiffe non incluse dans le coffret) x 1 059641		Ring holder x 1 059610	Rod for pulling rings - Fourche pour anneau x 1 071384	Vis de butée x 1
ARCPULL RIVET BOX 700 068452	×100	×1		×1	×1	×2	×1	×1	×1



Gas protection (x1)
068346

Ground studs holders

Ø 6	x 1	075368
Ø 8	x 1	075375
Ø 10	x 1	075382

Threaded holders

Ø 5	x 1	076174
Ø 6	x 1	068391
Ø 8	x 1	068407

Double earth clamp
50 mm², 3 m, 700 A
068605

STEEL / ACIER / STAHL

EASY TOOL CONNECTION

for GYSPOT 39.02/04, PRO 230/400, EXPERT 230/400, COMBISPOT 230



051690

MANUSPOT

050679

Tools set & support for DENT 600, 800, 1000, 1600, Workstation & Dentstation

+ EASYGUN 051317



+ MANULINER 050471

3 m
Ø 35 mm2

PATENTS REGISTERED NUMBERS 001652108-0003 EUROPEAN TRADEMARK & DESIGN

4 positions
4 Positionen



051584
380 g

Rings
- Anneaux
- Anschweißösen

051652

Wavy wires
- Fils ondulés
- Wellendraht

051669



Tempering
- Rétreinte
- Glättwerkzeug

051676

Manual dent-pulling bar - Poignée de tirage manuel
057289

EASYGUN
051317

Box of 3 electrodes for accessories
050822

FAST & EASY

RINGMATIC

052154



included
(x 50)

Option
Gun adapter
- Adaptateur pistolet
052499

MANULINER/GUN

056831

PATENTS REGISTERED NUMBERS 001652108-0003 EUROPEAN TRADEMARK & DESIGN

Gun adapter
- Adaptateur pistolet
included
052499

Pads - Patins (x2)
060807

DENT AXE PULLER

080508

Direct impact electrodes (x5)
050839

QUICK SPOT AIR GUN V2

057340

2,5 m

LIGHT 920 g

AIR



SPOT ROTATE

Pneumatic

Gun adapter - Adaptateur pistolet
052826

MANU PULLER

079502

Included **Alu 3** 065178
Included **Steel** 079830
Included **Alu 4** 065185

ALU

ARC PULLER PREMIUM

065161

Included **Alu 3** 065178

Included **Alu 4** 065185

Pads - Patins (x2)
069008



Option
Steel
079830

ARC PULLER PREMIUM PRO

072572

Pads - Patins (x4)
074958

Included **Alu 3** 065178

Included **Alu 4** 065185

ULTRA RESISTANT
No deformation

GRIP

Full rotation

Multi positions

ALU PULLER

051003



4 positions



Included **Alu 1** 050938

Included **Alu 2** 050945

Patins
- Pads (x2)
060807



STRAIGHT LINE LAMP

- Lampe ligne droite - Dentline-laser

056770

FAST PULLING RINGS

- Anneaux de tirage rapide

058743



x5
058712

goujons alu
- alu screws
ø 4, 5 & 6 mm

Alu 1 050938

Alu 2 050945

Marteau à inertie 380 g
050051

ALU HAMMERS

- Marteaux alu

020986

Heat gun
- Décapeur thermique
- Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

230 V only

Affichage digital
Digital display

066311

Gas hot air gun - Pistolet à air chaud autonome à gaz

Bouteille de gaz incluse, gas cylinder included

060777

Blow torch - Lampe à souder - Lötlampe

052741

Novacet + (Butane/propane/propylene) 380 ml/220 g

HIGH QUALITY

040441

Brushes
- Brosses
- Bürsten
- Brosses
- Cepillos

Inox
- Stainless -
Edelstahl

044258

Thermal marking pencil - Crayon marqueur thermique

121°C / 250°F

052765

Freezer spray - Spray refroidisseur

-50 °C
400 ml

(x 12)
048898

Heat barrier spray - Spray barriere thermique

054325

Infrared Thermometer - Thermomètre infrarouge

-50 / +600 °C
-58 / +1112°F

Adjustable emissivity :
0.10 ~ 1.00

079922

PULLING BARS

3 PRODUCT LINES

1 STANDARD

2 ★ PREMIUM ★

SLIDE & LOCK

3 ★★★ PREMIUM PRO ★★★

QUICK HOOK

EASY REMOVABLE PULLING SYSTEM

SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
1.6 kg
79 x 12 x 17 cm / 1.9 kg

PATENTS REGISTERED NUMBERS 001652108-0002 EUROPEAN TRADEMARK & DESIGN





Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
2.5 kg
77 x 12 x 13 cm / 3.2 kg

Licensed by BETAG.Innovation







Levelling bar
- Barre de débosselage
- Zugbrücke

050693
3.4 kg
87 x 17 x 19 cm / 4 kg

Licensed by BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
5.1 kg
87 x 17 x 18 cm / 5.9 kg



Strengthened bar
Barre renforcée

SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET

PULLING SYSTEM

only for **059313**

LIGHTWEIGHT
Léger

GRIP 360
360° pads with grip
Patins à frein orientables à 360°

X-CROSS
Possibility of crossing the bars
Possibilité de croiser les barres

PREMIUM

Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
1.6 kg
100 x 16 x 17 cm / 2.2 kg



Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
2.8 kg
79 x 30 x 13 cm / 3.2 kg





Premium scissoring bar
- Barre de tirage Premium
- Premium Scherenzugbrücke

058996
3.1 kg
87 x 16 x 18 cm / 3.9 kg



Premium 1200 scissoring bar
- Barre de tirage 1200 renforcée Premium
- Premium Scherenzugbrücke 1200

059313
5.6 kg
127 x 26 x 9 cm / 6.2 kg



Strengthened bar
Barre renforcée

OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171





(x1) 056800

(x1) 056794

Fixing screw 058439

Double pads support
- Support double patin
- Doppelfüße

050723

x2 Extension 052451

STANDARD	STANDARD / PREMIUM (LONG FEET NEEDED)				PREMIUM	
NEW						
						
1 tooth hook	**4** tooth claw	**6** tooth claw	**8** tooth claw	Ring-Pulling 068995	**2** teeth hook	**3** teeth hook
ØM10/M14	ØM10/M14	ØM10/M14	ØM10/M14		PREMIUM	PREMIUM
082021	049758	049734	049741		059382	059658

8 tooth claw for pulling chain 067745
ØM10/M14

x1 059320

x2 061293

x2 059351

x2 059375

x1 072688

069268

059399

SUPER ERGONOMIC

BREVET GYS — PATENT PENDING — GYS PATENT

QUICK HOOK



EASY REMOVABLE PULLING SYSTEM





SLIDE & LOCK

Removable system : pads and pulling systems
Système de patins et chariots de tirage amovibles

PREMIUM PRO

Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel

072619
1.6 kg
87 x 17 x 18 cm / 2.3 kg



Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
120 x 26 x 8 cm / 4.4 kg
3.8 kg



Premium Pro Levelling bar 900mm / Double feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

080102
3.8 kg



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
103 x 30 x 13 cm / 5.2 kg
4.5 kg



Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
124 x 7 x 7 cm / 3.1 kg

GRIP 360 — GRIP 360+

360° pads with grip
Patins à frein orientables à 360°

STRENGTHENED (DOUBLE) BAR

Improved mechanical resistance
Résistance mécanique renforcée

X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres

MULTIPLE PULLING SYSTEM

Additional removable pulling systems
Chariots de tirage amovible supplémentaire

OPTIONS

Single foot
- Pied simple
- Fuß

x2 061293

x1 059320



Double foot levelling bar
- Pied double patin
- Doppelfuss

x2 059351

x1 072688

x2 059375

PREMIUM BAR SMART HAND

for Premium & Premium Pro
072480



DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility

SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓

CHARIOTS / TROLLEYS

Dent 600
44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831

Dent 1000
44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848



Universal 800
60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331



Weld 810
77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489



Weld 910
89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967



Dent 1600
70 x 69 x 161 cm
/ 35,8 kg
103 x 66 x 22 cm
/ 38,7 kg
072596



Dent 1600 WD
71 x 70 x 161 cm
/ 49,5 kg
103 x 66 x 22 cm
/ 52,4 kg
072169



Dentstation Pro WD
90 x 71 x 161 cm
/ 65 kg
120 x 80 x 28 cm
/ 68,5 kg
072800



4 m³ support
for Dent 1600 / 1600 WD & Dentstation Pro WD
059665

Cable support for Spot 800, 1600 & Denstation
052284

Protection cover - Housse de protection - Schutzhaube
for Universal 800
062733
for Spot 1600 & Dent 1600
048881
for Dentstation Pro
059870

EASYLINER ALL IN 1 BOX

EASYLINER 39.02 EASYLINER PRO 230

STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

39.02	PRO 230
053618 : 058521	072398

ALL IN 1 BOX

INCLUDED ACCESSORIES

DENT 1000
072848

Dent box easy
053632

Levelling bar double action
053564

PROLINER

PROLINER 39.02
PROLINER 39.04
PROLINER PRO 230
PROLINER PRO 400
PROLINER ALU PRO FV
PROLINER ARCPULL 200

STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

39.02	PRO 230
035775	035799
39.04	**PRO 400**
035782	035805

INCLUDED ACCESSORIES

UNIVERSAL 800
051331
+ Cable support
052284

Dent box easy
050037

Levelling bar double action
053564

ALU

GYSPOT
(guns & consumables included)

ALU PRO FV	ARCPULL 200
035836	065260

UNIVERSAL 800
051331
+ Cable support
052284

Weld 810
037489
+ Cable support
052284

Alu puller
051003

Arc puller premium
065161

SPEEDLINER STANDARD

PRO 230, 400

EXPERT 200, 230, 400

COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400

ARCPULL 200
+ EXPERT 200, 230, 400

COMPLETE SYSTEM

ALU PRO FV



STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
074446	074460
PRO 400	**EXPERT 230**
074453	074477
	EXPERT 400
	074484

ALU + STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

COMBI 230 E PRO
074491

GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
074507	074521
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
074514	074538
	ARCPULL 200 + EXPERT 400
	074545

ALU

GYSPOT
(guns & consumables included)

ALU PRO FV
074552

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

052451

Multihook heads
049758+049734

Levelling bar
050686

Magnetic earth
049666

Manuspot
050679



Dent box consumables 051515
3 lifting rods 050792

Ringmatic
052154

Alu puller
051003

Cable support
052284

Arc puller premium
065161

Cable support
052284 + 4 m³ support
059665

Steel Speedliner without generator (excluded Ringmatic) : 035058

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

Alu hammers
020986

Set of pencil punches
with 6 teflon tips
052888

Multihook heads
049758

Alu puller
051003

Stainless
stell brush
044258
Alu Box Ø5 & 6
048195

Infrared
Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM

PRO 230, 400

EXPERT 200, 230, 400

COMBI 230 E.PRO

ARCPULL 200
+ PRO 230, 400

ARCPULL 200
+ EXPERT 200, 230, 400

ARCPULL 200, 350

STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
073883	073906
PRO 400	**EXPERT 230**
073890	073920
	EXPERT 400
	073944

ALU + STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
073968	074569

GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
073975	073913
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
073982	073937
	ARCPULL 200 + EXPERT 400
	073951

ALU

GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
073999	083042
077317 (without HOT AIR GUN)	

INCLUDED ACCESSORIES

DENT 1600 WD
072169

Cable support
052284

Premium levelling bar 720 mm
059306

Hook head
049758
+ 059658
+ 059382

Premium levelling lever
059290

Magnetic earth
049666

Manuspot
050679



Dent box consumables 051515 + 3 lifting rods 050792

Manual pulling handle
057289
Ringmatic
052154

Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284

Arc puller premium
065161

Cable support
052284
4 m³ support
059665

INCLUDED ACCESSORIES

DENT 1600 WD
072169
Cable support
052284

Alu Ring Box 1 mm
059412
Premium 2-teeth hook
059382

Arc puller premium
065161

Premium levelling bar 720 mm
059306

Alu hammers
020986

Infrared Thermometer
079922
Hot air gun 650°C
066311

Set of pencil punches
with 6 teflon tips
052888

3 lifting rods
050792

Stainless
stell brush
044258

4 m³ support
059665

SPEEDLINER PREMIUM PRO

PRO 230, 400

EXPERT 200, 400
+ ARCPULL 200, 350

COMBI ARCPULL

ARCPULL 200, 350

STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 400
080201	080218

ALU + STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350
080232	083028
EXPERT 200 + ARCPULL 200	
080553	

GYSPOT
(guns & consumables included)

COMBI ARCPULL
080225

ALU

GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
080256	083035

INCLUDED ACCESSORIES

Dent 1600 WD
072169

Premium Pro levelling bar 900 mm
071643

Premium Pro levelling bar
072619

Ringmatic
052154

Manuspot
050679

Premium Pro teeth hook
072671 + 072664 + 072640

Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515

Magnetic earth
049666

Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES

Dent 1600 WD
072169

Alu Ring Box 1 mm

072664

4 m³ support
059665

Premium Pro levelling bar 900 mm
071643

Set of pencil punches with 6 teflon tips
052888

Arc Puller Premium Pro
072572

Alu hammers
020986

Infrared Thermometer
079922
Hot air gun 650°C
066311

Stainless stell brush
044258

3 lifting rods
050792

DENTSTATION STANDARD

39.02, 39.04

PRO 230, 400

EXPERT 200, 230, 400

COMBI 230 E.PRO

ARCPULL 200
+ PRO 230, 400

ARCPULL 200
+ EXPERT 200, 230, 400

STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200
078161	078208	078321
39.04	PRO 400	EXPERT 230
078185	078260	078369
		EXPERT 400
		078444

ALU + STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

GYSPOT
(guns & consumables included)

COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078529	078222	078338
	ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
	078284	078384
		ARCPULL 200 + EXPERT 400
		078468

INCLUDED ACCESSORIES

Dentstation Pro WD
072800
Fixing kit
051362

Double pads
050723

Levelling bar 850 mm
050693

Scissoring bar
050716

Multihook heads
049758
+049734
+049741

Levelling lever
050686

Strengthened bar 1200 mm
051171
Extensions (x2)
052451

Magnetic earth
049666

Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm

Manual pulling handle
057289

Ringmatic
052154

Fast pulling rings
(x5)
058712
+ Alu puller
051003

Cable
support
052284

Arc puller premium
065161

Cable support
052284
+ 4 m³ support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM

PRO 230, 400

EXPERT 200, 230, 400

COMBI 230 E.PRO
COMBI ARCPULL

COMPLETE SYSTEM

ARCPULL 200
+ PRO 230, 400

ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
078239	078345
PRO 400	EXPERT 230
078291	078406
	EXPERT 400
	078482

ALU + STEEL / ACIER / STAHL

GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
078543	078567

GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078253	078352
ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
078314	078420
	ARCPULL 200 + EXPERT 400
	078505

INCLUDED ACCESSORIES

Dentstation Pro WD
072800
Fixing kit
051362

Manuspot
050679

Premium levelling bar 720 mm
059306

Premium levelling lever
059290

Hook head
049734
+ 059658
+ 059382

Premium scissoring bar 720 mm
058996

Premium scissoring bar 1200 mm
059313

Magnetic earth
049666

Premium double pads support 150 mm (x2)
059351
+ 220 mm (x2)
059375



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm

Manual pulling handle
057289

Ringmatic
052154

Fast pulling rings (x5)
058712
Alu puller
051003
Cable support
052284

Cable support
052284
+ 4 m² support
059665
Flanges (x 2)
062146
Arc puller premium
065161

Arc puller premium
065161

Cable support
052284
+ 4 m² support
059665
Flanges (x 2)
062146

DENTSTATION PREMIUM PRO

EXPERT 230, 400

COMBI ARCPULL

EXPERT 400
+ ARCPULL 200, 350

ARCPULL 200, 350

STEEL / ACIER / STAHL

1 BOX GYSPOT (guns & consumables included)

EXPERT 230	EXPERT 400
080133	080140

ALU + STEEL / ACIER / STAHL

1 BOX GYSPOT (guns & consumables included)

1 BOX GYSPOT (guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350	COMBI ARCPULL
080164	083004	080157

ALU

1 BOX GYSPOT (guns & consumables included)

ARCPULL 200	ARCPULL 350
080461	083011

INCLUDED ACCESSORIES

1 BOX Dentstation Pro WD 072800

Premium pro levelling bar 900mm
071643

Premium pro levelling lever
072619
Premium pro bar 1184 mm
072626

Manuspot
050679



(x2) 059375 + (x2) 072688

072664 + 072671 + 072640 + 072657

071650 + 072312



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm

Magnetic earth
049666
Ringmatic
052154
Manual pulling handle
057289

1 BOX STEEL ACCESSORIES PACK V2
080126

+

Cable support
052284

4 m³ support
059665

Arc Puller Premium Pro
072572

1 BOX ALU ACCESSORIES PACK
073838

INCLUDED ACCESSORIES

1 BOX Dentstation Pro WD
072800

Premium pro levelling bar 900mm
071643
(x2) 059375

072664 + 072640 + 071650

Alu Ring Box 1 mm
059412

Alu hammers
020986

Arc Puller Premium Pro
072572

Set of pencil punches with 6 teflon tips
052888

3 lifting rods
050792

Stainless steel brush
044258
Infrared Thermometer
079922
Hot air gun 650°C
066311

4 m³ support
059665

1 BOX ARCPULL ACCESSORIES PACK
080485

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	38
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

GYS
INVEST IN THE FUTURE

DRAW ALIGNER

GYS
UNIQUE SYSTEM
PATENT PENDING
BREVET GYS
GYS PATENT

Designed for
- TIME SAVING
- DURABILITY
- MAXIMUM GRIP

4 pads :
Seal protection, Perfect stability

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità

Quick & easy set up

Ground anchor by suction
Fast installation

Ancrage au sol par aspiration : installation rapide
Verankerung durch Vakuumbildung – schnell einsatzfähig
Ancoraggio a terra: installazione rapida



Integrated silencer

Low noise

Smart maintenance

No glue
No tools



Pads - Patins
(x2)
069008

Plate seal
- Joint de plaque
079571

Youtube

AIRFIX DRAW ALIGNER

Air 5-8 bars
077379
080669



Option
XL mast for
Airfix Draw Aligner
- Mât XL - XL-Mast
083714



350 kg
Uniform pulling force

Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme



Precision

All directions



Down-pulling

Rocker panel
- Bas de caisse
- Schweller
- Sottoporta

Up-pulling

Upper-parts
- Parties hautes
- Oberteile



Options

Welding sheets kit
- Kit plaques à souder
083493

NEW



25 mm	38 mm	50 mm	75 mm
(x1 included)	(x1 included)	(x1 included)	(x1 included)
x5 083509	x5 083516	x5 083523	x5 083530

12 tooth claw
- Griffe 12 dents
082229



DRAW ALIGNER

PULLING SYSTEMS

Youtube



DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475





OPTION

Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Wedge for rocker panel - Câle pour bas de caisse

Pads kit for rocker panel - Kit patins pour bas de caisse

OPTION

Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger
052581



OPTION

12 tooth claw for pulling chain
082229





Youtube

DRAW ALIGNER PRO

069244



OPTION

Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Plate under the wheel - Câle sous roue 076693
Compatible with Draw Aligner & Draw Aligner Pro

Wedge for rocker panel - Câle pour bas de caisse

Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse
071278

ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

MADE IN ITALIA

INCLUDED

Accessories kit :
425x620x150 mm
Accessories kit
Total weight: 20 kg

057418

Standard kit :
425x620x210 mm
Standard kit
Total weight: 18 kg

057401

Li-Ion battery
058514

OPTION

Pince écarteur
079496



-PULLING POWER: 5 Ton.
-PUSHING POWER: 5 Ton.
-PISTON
-STROKE: 130 mm





ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAÏWAN

053045

053052



INERTIA HAMMER KIT - Kit marteau à inertie - Ausziehhammer kit

Inertia hammer kit
- Kit marteau à inertie
- Ausziehhammer kit
051928



POWER-PULLER 4T

059740



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345

BASIC 10T
052338

PRO 4T
057432

PRO 10T
057449

OPTION

Hydraulic oil 1L -
Huile hydraulique 1L
053397

MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements

052130

GYSMETER, Electronic measurements

052093



SWIVEL CLAMP
- Pince pivotante

060968



PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage a blocage manuel
- Mini Klemme von Auflage in Handblockieren
056855

Self-locking pull clamp - Pince de tirage à blocage automatique
- Selbstklemmende Zugklemme
052642

Self-locking pull clamp - Pince de tirage à blocage automatique
- Selbstklemmende Zugklemme
060944

Right angle pull clamp - Pince de tirage à angle droit
- Zugklemme 90° Winkel
052666



PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang »
- Zughaken Set «Boomerang»

052659



ARCH HOOKS - Passage de roue

Small arch hook
- Crochet passage de roue petite dimension
060975



Large arch hook
- Crochet passage de roue grande dimension
060982



PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge

Chain joint double grab hook - Raccord de chaine double crochet
061156



Chain joint for two clamps
- Raccord de chaine pour deux pinces
061163



Body chain 10 mm - Chaine de tirage 10 mm
061255





12 tooth claw for pulling chain
082229

WIDE PULL CLAMPS - Pinces de tirage larges

2-way - 2 directions
061217

Multi-way - Multidirections
061224



SMALL PULL CLAMPS - Pinces de tirage faible largeur

Long nose clamp - Pince bec de canard
060951



Small mouth pull clamp - Pince de tirage faible largeur
061231



Box clamp - Pince contournement de rebord
061170



MULTIPLE PULL CLAMP
- Pince de tirage multiple

Load spred multi clamp - Pince multiple répartition de charge
060999



45 MM SCISSORS CLAMP
- Pince ciseaux largeur 45 mm

061187



90 DEGREE CORNER CLAMP
- Pince de tirage pour angle 90°

059757

C TYPE CLAMP
- Pince de tirage type C

061200



SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE
- Satellite - Satellite Basisbügel-Set

052710



2 KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungskit- Federbein (McPherson)

052703

3 BARRE POUR TIRER/POUSSER
- Push/Pull Bar
- Zug/Druck-Stangenset

052673



4 SATELLITE (B)
- Bügelverlängerung

052680



5 SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt

044036

6 DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite
- Satellite Doppelklemme

052697

PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp
- Multifunktions-Zugklemme

053571

Autorobot



WELDING SHEETS KIT WITH CLAMP
- Kit plaques à souder et pince

083493

NEW



25 mm	38 mm	50 mm	75 mm
(x1 included)	(x1 included)	(x1 included)	(x1 included)
x5 083509	x5 083516	x5 083523	x5 083530



PAINTLESS DENT REPAIR + GLUE PULLING REPAIR

DENT PULLING INDUCTOR
- Inducteur débosselage - Dellenmatrix

GYSDUCTION AUTO + Dent pulling inductor 054776 = GYSDUCTION AUTO DENT REPAIR 054981

Youtube

MADE IN FRANCE

			Freq.	INTEGRATED TECHNOLOGY			Cable (m)			
	AM									
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2 400	35 → 120	▪	▪	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5

DENT PULLING INDUCTOR
- Inspection carrosserie
- Ausbeul Induktor

Planche flexible pour inspection de la carrosserie - Ausbeul-Matrix
Ø 800 mm
059122





OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml

(x 12)
048898

PAINTLESS DENT REPAIR MAGNETIC KIT
- Kit magnétique de débosselage sans peinture
- Magnetisches Ausbeul-Kit

053168 EXELTOOLS



DENT PULLING KIT (PAINTLESS)
- Kit débosselage sans peinture - Dellenausbeulhebel-Set

33 parts

051959

AIR CUSHION KIT
- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz

051942

PAINTLESS DENT REPAIR LAMPS
- Lampes de débosselage
- Ausbeullampe

ULTRA LIGHT CARBON X40 PW
053175
EXELTOOLS



PAINTLESS DENT REPAIR LAMPS
- Lampes de débosselage
- Ausbeullampe

083936



SET OF 6 PENCIL PUNCHES
- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888

MADE IN FRANCE



PNEUMATIC INERTIA HAMMER
- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904

PUMP AIR SUCTION SLIDE HAMMER
- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer

048683



PAINTLESS DENT REPAIR

GLUE PULLER PRO (Acier/Alu • Steel/Alu)

BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads



OPTIONS



GYSMART GLUE PULLING KIT

GYSMART GLUE PULLING KIT PLUS



	Workstation 054233	Set of pencil punches with 6 teflon tips 052888	Infraded thermo-meter 079922 / Heat Gun 066311	Levelling bar 050693 / 6 Gripping multihook head 049734	3 Lifting rods 150/300/500 mm 050792	Set of 3 conical plastic multipads 048096 048072 048089 048119 048102	Slide hammer 057906	Set of 6 glue tips 050952	Glue Puller PRO 058699	Glue Puller PRO Export 059160	33PC Paintless dent repair kit 051959 / PDR Light ultra light carbon X40PW 053175	Mini puller 050921 / Aluminium clamp 2 050945
GYSMART GLUE PULLING KIT 076051					✓							
GYSMART GLUE PULLING KIT EXPORT 076105				✓						✓		
GYSMART GLUE PULLING KIT PLUS 076082					✓						✓	
GYSMART GLUE PULLING KIT PLUS EXPORT 076129				✓						✓		

GLUE PULLING REPAIR

Youtube

GPR HAIL IMPACT TABS

Barrettes pour impacts de grêle
081024

GPR I-BAR MINI

080324

GPR BAR TABS

080331



GPR FLEXIBLE TABS



152 x 38 mm	152 x 51 mm	64 x 20 mm	64 x 38 mm	64 x 51 mm
080348	080355	080362	080379	080386

GPR Plastic hooks
- Anneaux plastiques
080393

x 10

GPR M4 steel hooks
- Anneaux acier M4
080409

x 5

GPR FLAT TABS

Patins plats
080430



GPR 3D TABS

Barrettes 3D
080416

51 x 33 mm	101 x 33 mm
x 2	x 2
51 x 38 mm	101 x 38 mm
x 2	x 2

GPR 3D CURVE TABS

Barrettes 3D incurvées
080423



Flexible



GPR UNIVERSAL TABS

Barrettes universelles
080447



GPR FOLD TABS

Barrettes pour plis
080522



Flexible



GLUE GUN 400W - Pistolet à colle chaude 400W

082144

GPR Glue sticks
- Bâtons de colle
080454

x 10

GPR Glue sticks for stripped sheets
- Bâtons de colle pour tôles décapées
081017



x 10

Workstation Premium -
Servante Premium
076143

(p. 136)

GPR PRO KIT

080317

1	**GPR I-bar mini**	
	51 mm	x 1
2	**GPR Flexible tabs**	
	64 x 20 mm	x 1
	64 x 38 mm	x 1
	64 x 51 mm	x 1
3	**GPR Long tabs**	
	152 x 38 mm	x 1
	152 x 51 mm	x 1
4	**GPR Plastic hooks**	x 10
5	**GPR Bar tab**	x 1
6	**GPR 3D tabs**	
	12 mm	x 1
	22 mm	x 1
7	**GPR 3D curved tabs**	
	51 x 38 mm	x 1
	101 x 38 mm	x 1
8	**GPR M4 steel hooks**	x 5
9	**GPR Universal tabs**	
	Flat 38 x 22 mm	x 1
	Flat 51 x 22 mm	x 1
	Open angle 38 x 22 mm	x 1
	Closed angle 38 x 22 mm	x 1
	Straight angle 27 x 22 mm	x 1
	Dome Ø 22 mm	x 1
	Dome Ø 26 mm	x 1
	Dome Ø 40 mm	x 1
10	**GPR Flat tabs**	
	Ø 13 mm	x 1
	Ø 23 mm	x 1
	Ø 27 mm	x 1
	Ø 32 mm	x 1
	Ø 38 mm	x 1
	Ø 52 mm	x 1
11	**GPR Bars for folds**	
	35 mm	x 1
	50 mm	x 1
	90 mm	x 1
	140 mm	x 1
	Flexible 135 mm	x 1
	140 x 30 mm	x 1
12	**GPR Glue sticks**	x 10

Isopropyl alcohol 99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur
082236

1 L 600 ml

Heat gun - Décapeur thermique
066311

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

Gas hot air gun
- Pistolet à air chaud autonome à gaz
060777

Blow torch - Lampe à souder
052741

Novacet +
Butane/Propane/Propylène
040441

380 ml (220 g)

Infrared thermometer
- Thermomètre infrarouge
079922

Adjustable emissivity :
0.10~1.00

Set of 6 pencil punches - Kit de 6 coins de frappe
052888

(p. 47)

3 plastic wedges
- 3 cales plastiques
051294

Lifting rod 180 mm
- Tige de tirage 180 mm
082915

Pulling hand 3 claws - Poignée de tirage 3 dents
057326



(p. 48)

4 tooth claw
Ø M10 / M14
049758

Slide hammer 500g
- Marteau à inertie 500g
057906



(p. 48)

Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



(p. 10)

Glue Lifter
057364

included
061392

(p. 48)

Arc Puller Premium
065161

included
Alu 3
065161

(p. 19)

Arc Puller Premium Pro
072572

included
Alu 4
065185

option
Steel M14
079830

(p. 19)

Premium Pro Levelling bar 900 mm
071643

(p. 22)

Airfix Draw Aligner
077379

(p. 39)

RESISTANCE SPOT WELDING

RANGES 54

PRESENT MACHINES

PORTASPOT / 100 R.CX / BP.LX 56
BP GENIUS 58
PTI-S7 / PTI PREMIUM PRO 60
PTI GENIUS 62

NEW MACHINES WITH COLOUR SCREEN

PTI NEO 64
PTI MASTER / PTI EXPERT 66

ARMS & CONSUMABLES

G ARMS 68
ACCESSORIES & CONSUMABLES 69
X ARMS / C ARMS 70

CAR MANUFACTURER REQUIREMENTS

EXIGENCES CONSTRUCTEUR - ANFORDERUNGEN DES AUTOMOBILHERSTELLERS - REQUISITI DEL PRODUTTORE DI AUTOMOBILI

An example of new generation car body
- Exemple de carrosserie nouvelle génération
- Beispiel einer Karosserie der neuen Generation
- Esempio di carrozzeria di nuova generazione



- HSS - HLE
- VHSS - THLE
- UHSS - UHLE
- Bore - Boron
- Aluminium

MIG/MAG PLUG WELDING - Bouchonnage MIG/MAG



Non-compliant with car manufacturer requirements
- Non conforme aux exigences constructeur

VS

Youtube

RESISTANCE SPOT WELDING - Soudure par résistance



Same mechanical resistance as original
- Même résistance mécanique qu'un point d'origine

INVERTER machine

MANUFACTURER APPROVALS / COMPLIANCE

HOMOLOGATIONS PRODUITS - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

		Volkswagen Group		Jeep					Nissan								GM									Mercedes	smart	EvoBus		Jaguar / Land Rover	Ford USA	Honda USA	NIO								
DENT PULLER	GYSPOT 26.02/27.02			●						●	●																															
DENT PULLER	GYSPOT 34.02/04, 36.02/04, 39.02/04, PRO230/400, EXPERT 200/230/400		●	●			●			●	●					●				●	●	●	●		●							●	●	●		●		●	●	●	
DENT PULLER	Workstations		●	●			●			●	●									●	●	●			●								●	●	●	●	●	●	●	●		
DENT PULLER	GYSPOT ALU FV		●	●						●	●														●											●	●	●				
DENT PULLER	GYSPOT ARCPULL 200		●																														●	●								
RESISTANCE SPOT WELDER	GYSPOT BP-LX		●	●		●	●			●	●							●			●	●							●	●											
RESISTANCE SPOT WELDER	GYSPOT BP GENIUS		●	●		●	●			●	●				●							●							●	●											
RESISTANCE SPOT WELDER	GYSPOT PTI-s7			●	●		●			●	●	●	●	●	●	6 m		●			●			●					●	●	●	●		●		●					●	
RESISTANCE SPOT WELDER	GYSPOT PTI PREMIUM PRO									●											●			●					●	●	●	●										
RESISTANCE SPOT WELDER	GYSPOT PTI GENIUS									●											●			●					●	●	●	●										
RESISTANCE SPOT WELDER	GYSPOT PTI NEO, MASTER																				●									●		●										
RESISTANCE SPOT WELDER	GYSPOT PTI EXPERT																												●	●		●										
RESISTANCE SPOT WELDER	VAS 821 101 - Spot Welder	●																																								
RIVETING	GYSPRESS							● 10T																							10TPP				● 10TPP	●		●	●				
MIG / MAG	E1 GYS AUTO		●	●			●			●	●								●	●	●			●																		
MIG / MAG	E2, E3 GYS AUTO		●	●			●			●	●										●			●							●											
MIG / MAG	P1, P2, P3 GYS AUTO																												●													
MIG / MAG	AUTOPULSE 220-M1																												●						●	●	●					
MIG / MAG	AUTOPULSE 220-M2																												●													
MIG / MAG	AUTOPULSE 220-M3		●										●																●				●	●								
MIG / MAG	AUTOPULSE 320-T1																												●	●		●										
MIG / MAG	AUTOPULSE 320-T3		●																										●	●		●	●	●								
MIG / MAG	VAS 821 005 - Pulse MIG	●																																								
MIG / MAG	VAS 821 00580 023	●																																								
PLASMA	EASYCUT 40																																			●					●	
PLASMA	CUTTER K25, K35			●							●																															
PLASMA	EASYCUT 30FV, CUTTER 45CT			●							●					●				●		●	●	●																		
	GYSDUCTION AUTO			●						●	●																					●										
		Homologated by car manufacturers																								Meets the specifications of car manufacturers																

EMITECH · TÜVRheinland CERTIFIED ISO 9001 · CESVI FRANCE · FOCWA · ktd · Thatcham Quality Assured

RESISTANCE SPOT WELDING RANGES

Monochrome Screen Generation

	PTI s-7	BP GENIUS	PTI PREMIUM PRO	PTI GENIUS
Machine type - Type de machine	Transformer inside	Cable	Transformer inside	Transformer inside
Arm - Bras	C	G	G	G
Max welding current - Courant de soudage max	14500 A	13000 A	14500 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.9 kg	6.5 kg	10.3 kg	11.3 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Pneumatic	—	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	20 pts/min	10 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•	•
Cooling system - Système de refroidissement	30 litres	30 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★★	★★★★	★★★★	★★★★★
Clamp cable length - Longueur faisceau pince	4 m or 6 m	2.5 m	6 m	6 m
Gyro - Gyro	(Option)	• Ball bearing Gyro	•	• Ball bearing Gyro
Mains cable length - Longueur câble secteur	8 m	8 m	8 m	8 m
Balancing arm - Avec potence	•	•	•	• Electric, adjustable height
Disconnectable clamp - Pince déconnectable	•	—	•	—
Single sided gun - Pistolet monopoint	(Option)	•	(Option)	(Option)
Software update - Mise à jour logicielle	SD card	SD card	SD card	SD card

3.5" Colour Screen Generation

	PTI NEO	PTI MASTER	PTI EXPERT
Machine type - Type de machine	Transformer inside	Transformer inside	Transformer inside
Arm - Bras	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Mechanical	Mechanical
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m
Gyro - Gyro	—	—	•
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	—	—	•
Disconnectable clamp - Pince déconnectable	—	—	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)
Software update - Mise à jour logicielle	USB	USB	USB

RESISTANCE
SPOT WELDING

PORTASPOT 230

6 300 A 120 daN

Air cooled

230 V
022256



Youtube

ARMS Ø 23 mm

l = 110 mm PX1 (included) 047945	l = 220 mm PX2 047938	l = 220 mm PX3 047921
l = 350 mm PX4 047914	82 / 138 / Ref 051614 PX5 048690	

ELECTRODES

EX40 Short electrode 40 mm 047884	EX60 Medium electrode 60 mm 047891	EX80 Long electrode 80 mm 047907

CAPS & ACCESSORIES

Caps type F (x 6) 049970	Caps remover 050846
Blade - Lame 052857	Cap grinder - Affuteur de caps 048966

	AM	RMS	MAX		Uo	Cable		100% CU	
50/60 Hz	A	A	A	mm	V	m	Ø mm²		LxWxH cm / kg
1 x 230 V	**16(D)**	**6 300**	8 900	2+2	2.45	2.5	3x2,5 H05VVF	OK	41 x 18 x 22 / 11.3

GYSPOT 100R-CX

10 000 A 550 daN (X) 350 daN (C)

For mild steel, HSS, UHSS

Air cooled

Traceability software
Save spot welding configuration and export data

3 x 400 V
022317

OPTIONS 100R-CX



	included
Monopoint/Spot 049291	▪
Inertia hammer 049482 + 049802	▪
Spotter box pro 050075	▪
Top support box	▪
Contact grease 050440	▪
Caps remover 050846	▪
Cable support	▪ × 2
RX1 051034	▪
RX3 051058	▪
RC1 051065	▪
RC2 051072	▪
RC3 051089	▪

GYSPOT BP-LX

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

Double pressure
Ø 10 mm
6.5 kg (included X1)

Liquid cooled

BODYPROTECT Unique electro-magnetic field protection by GYS
2013/35/UE

Traceability software
Save spot welding configuration and export data

019652



Youtube

	019652	058804
	400 V	
Gyspot BP-LX		
Monopoint/Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
X1 050501	▪	▪
X4A (x2) + X4B + X4C + X2 020733		▪
Liquid cooling (10l) 052246		▪ (x3)

OPTIONS

050068
x10 (x20 : 052239)
x18 (x6 : 049987)
x6 (x6 : 049994)
x18 (x6 : 049970)

Caps type A box 048935
x40 (x6 : 049987)
Caps type F box 077119
x40 (x6 : 049970)

Cooling liquid - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover for BP
050853

SD CARD
050914

Mandrels for gun

S1 < nov 2010
048171

S2 > nov 2010
048188

MADE IN FRANCE 62135	50/60 Hz	AM A D curve	Spots/min (max) 2.5+2.5	RMS A	mm		Uo V	Cables				100% CU	LxWxH cm / kg
GYSPOT 100R.CX	3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**10 000**	2.5+2.5+2.5	1.5 + 3	16	2.5 m, air Ø 200 mm²	2.5 m, air Ø 200 mm²	2.5 m, air Ø 150 mm²	8 m, 4 x 6 H07RNF	OK	61 x 79 x 71 / 137
GYSPOT BP.LX	3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**13 000**	2.5+2.5+2.5	1.5 + 3	16	2.5 m, **liquid**	—	2.5 m, air	8 m, 4 x 6 H07RNF	OK	65 x 80 x 205 / 164.5

RESITANCE SPOT WELDING

BP GENIUS

MADE IN FRANCE

G ARMS

G-clamp front body + protection
078765



ULTRA LIGHT & COMPACT
6.5 kg
(Gyro & G1 included)

550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE

Ø 10 mm

6.5 kg
(Gyro & G1 included)

Youtube

FAST OPEN XL



EASY

GYRO INTEGRATED

PERFECT ELECTRICAL CONNECTION

AUTO



GYSPOT
BP GENIUS

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

BP 2013/35/UE **BODYPROTECT** Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data

	023550	023451	082250
Gyspot BP GENIUS	220 V	400 V	
Monopoint/Spot 049291	▪	▪	▪
Spotter box pro (p.10) 050075	▪	▪	▪
Inertia hammer 049482 + 049802	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm support	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪

MADE IN FRANCE 62135	50/60 Hz	RMS A	AM A D curve	Spots max 2.5+2.5 mm	Uo V	mm		Cables			100 % CU	cm	kg
GYSPOT BP GENIUS 400V	3 x 400 V	13 000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171
GYSPOT BP GENIUS 220V	3 x 200 V	10 500	60 (21-25 kVA) 80 (28-33 kVA) 100 (35-41 kVA)	2 6 10	15	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6AWG (500W)	OK	65 x 80 x 205	178
	208 V	11 000			15.5								
	230 V	12 000			17								
	240 V	12 500			18								

OPTIONS

Caps type A box 048935
x40 (x6 : 049987)

Caps type F box 077119
x40 (x6 : 049970)

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449

SD CARD
050914

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI

050853

10-14 kg
059696

RESISTANCE
SPOT WELDING

GYSPOT PTI-s7

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

FUSE 20 A
Double pressure
Ø 10 mm
9.9 kg (included C1)

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

C ARMS

9.9 kg

Convert PTI S-7 to Premium Pro C ARMS ▶ G ARMS

Kit Renov PTI Premium Pro

220V 072367

400V 072541

	6M 220 V	4M 400 V	6M 400 V
Gyspot PTI-s7	022195	020894 / 020900	067998
Contact grease 050440	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
C1 021402	▪	▪	▪
C2 + C3 + C4 060821			▪
C6 022409			▪
Gyro 360° 051720			▪
Complete gun kit 067318			▪
Liquid cooling (10L) 052246			▪ (x3)

OPTIONS

GYRO 360° for PTI S-7
051720

Kit gun for PTI S-7
067318

200 mm² 1.6 m
300 mm² 1m

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI

050853

10-14 kg
059696

MADE IN FRANCE / CE NORM. 62135	50/60 Hz		I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables			cm	kg
GYSPOT PTI-s7	3 x 400 V		**14 500**	**20** (14 kVA)	**10**	7.3	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4x4 mm² H07RNF	65 x 80 x 230	105.3
GYSPOT PTI-s7 220 V	3 x	200 V	**12 500**	**40** (14-16 kVA)	**10**	6.5	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4xAWG8 (500W)	65 x 80 x 230	115.7
		208 V	**13 000**			6.7							
		230 V	**14 500**			7.4							
		240 V	**14 500**			7.7							

GYSPOT PTI PREMIUM PRO

14500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

FUSE 25 A
Double pressure
Ø 10 mm
10.3 kg (included G1)

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

GYRO INCLUDED

PERFECT ELECTRICAL CONNECTION

AUTO

G ARMS

10.3 kg

	6M 220 V	6M 400 V	6M 400 V
Gyspot PTI Premium Pro	072206	072183	082243
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪

OPTIONS

Kit gun for PTI Premium Pro
067226

300 mm² 1.8m
300 mm² 1m

G11
for PTI Premium Pro
071766



MADE IN FRANCE / CE NORM. 62135	50/60 Hz		I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables			cm	kg
GYSPOT PTI PREMIUM PRO 400V	3 x 400 V		**14 500**	**25** (14 kVA)	**10**	7.4	2.5+2.0+2.0	1.5 + 3.0	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI PREMIUM PRO 220V	3 x	200 V	**12 500**	**50** (17-21 kVA)	**10**	6.5	2.5+2.0+2.0	1.5 + 3.0	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4xAWG8 (500W)	65 x 100 x 230	119
		208 V	**13 000**			6.7							
		230 V	**14 500**			7.4							
		240 V	**14 500**			7.7							

RESISTANCE SPOT WELDING

PTI GENIUS

Youtube

MADE IN FRANCE

550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE

Ø 10 mm

11.3 kg
(Gyro & G1 included)

G ARMS

G-clamp front body + protection
078765

FAST OPEN XL



GYRO INTEGRATED



TRANSFORMER INSIDE

PERFECT ELECTRICAL CONNECTION

AUTO



Control command
- Contrôle de commande

Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport

OPTIONS

Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)

073449

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)

SD CARD
050914

Kit WIFI Compatibility : Gyspot Inverter PTI-GENIUS
070691

Cooling liquid
2 L 082212
5 L 062511
10 L 052246

for PTI GENIUS
077126

GYSPOT
PTI GENIUS

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

Gyspot PTI-GENIUS	024878	082267	024854	024892
	400 V		220 V	480 V
Caps remover 050846	▪	▪	▪	▪
Arm support	▪	▪	▪	▪
G1 022768	▪	▪	▪	▪
G2 + G3 + G4 022898		▪		
Liquid cooling (10L) 052246		▪ (x3)		
Caps type A box 048935		▪		
Protection cover 077126		▪		

Included Cable support ULTRA RESISTANT

Control Commande

Electrode storage - Rangement pour électrodes

ELECTRIC MOTOR

6 m

High stability - Grande stabilité

Ergonomic



MADE IN FRANCE / CE NORM. 62135		RMS 50/60 Hz	AM A	AM A D curve	Spots/min (max)	Uo V	mm		Cables		cm	kg
GYSPOT PTI GENIUS 400V	3 x 400 V		14 500	25 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7
GYSPOT PTI GENIUS 220 V	3 x	200	12 500	50 (17-21 kVA)	20	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG8 (500W)	71 x 90 x 200	136.2
		208	13 000			6.9						
		230	14 500			7.3						
		240	14 500			7.9						
GYSPOT PTI GENIUS 480V	3 x 480 V		14 500	20 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG12 (500W)	71 x 90 x 200	128.7

OPTIONS

Kit gun
067226

300 mm² 1.8 m
300 mm² 1m



RESISTANCE SPOT WELDING
PTI NEO

NEW

MADE IN FRANCE

3.5" colour screen
Easy navigation interface

Manual Mode
Direct entry of welding current, time and pressure -
Entrée directe du courant et temps de soudage et de la pression

Automatic Mode
Automatic detection of the welding parameters
- Détection automatique des paramètres de soudage



Synergic Mode
User defined welding parameters
- Programmation par l'utilisateur

Car Manufacturer Mode
Specific Car Manufacturer pre-programmed welding parameters
- Points de soudure constructeur préprogrammés

Traceability software
Save spot welding configuration and export data

G ARMS

EASY OPENNING



PERFECT ELECTRICAL CONNECTION

AUTOMATIC HYDRAULIC CONNECTION



OPTIONS

Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449

EASY USB UPDATE

USB key 16 Gb
062344

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

062733

GYSPOT
PTI NEO

13000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled : 5 litres

Automatic Mode
Automatic detection of the welding parameters

3.5" colour screen
Easy navigation interface

Traceability software
Save spot welding configuration and export data

G ARMS

9.7 kg
VERY LIGHT

OPTION

QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823

NEW

EASY CONNECTION

	024779	084834	077362	084841
Gyspot PTI-NEO	400V		208-240V	
Caps remover 050846	▪	▪	▪	▪
G1 022768	▪	▪	▪	▪
G2 + G4		▪		▪
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX

78.5 x 58.5 x 64 cm
6 units/palette

G arms storage

G1, G2, G3 storage

OPTION



G11
8 bar/550 daN
071766

HSS ✓
UHSS ✓
Boron ✓

NEW 05/2024

LIQUID COOLING
5 Litres

MADE IN FRANCE	62135		RMS	AM	Spots/min (max)	Uo	mm		Cables					
	50/60 Hz		A	A D curve		V		(option)		(option)	(option)		cm	kg
GYSPOT PTI NEO 400V	3 x 400 V		13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4x4 mm² H07RNF	63 x 76 x 127	57
GYSPOT PTI NEO 208-240V	3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4xAWG8 (S00W)	63 x 76 x 127	62
		208 V	11 300			6.9								
		230 V	12 500			7.7								
		240 V	13 000			8								

RESISTANCE SPOT WELDING

PTI MASTER PTI EXPERT

MADE IN FRANCE

FAST OPEN XL



GYRO INTEGRATED



G ARMS EASY OPENNING



PERFECT ELECTRICAL CONNECTION



AUTOMATIC HYDRAULIC CONNECTION



TRANSFORMER INSIDE

MASTER 10.3 kg
(G1 included)

EXPERT 11.8 kg
(Gyro + G1 included)

LIQUID COOLED
Refroidissement liquide

OPTIONS

G-clamp front body + protection
078765



QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823

NEW



EASY CONNECTION

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover for PTI MASTER
062733

Protection cover for PTI EXPERT
050853

10-14 kg
059696

TRANSFORMER INSIDE | For mild steel, HSS, UHSS | Boron steel | Automatic Mode | 3.5" colour screen | Traceability software

GYSPOT PTI MASTER
13000 A
550 daN
Liquid cooled : 5 litres

GYSPOT PTI EXPERT
14500 A
550 daN
Liquid cooled : 30 litres

GYSPOT PTI MASTER 400V	13 000 A	400 V • 3 phase
083264		
GYSPOT PTI MASTER 208-240V	13 000 A	208-240 V • 3 phase
083257		
GYSPOT PTI EXPERT 400V	14 500 A	400 V • 3 phase
083943		
GYSPOT PTI EXPERT 208-240V	14 500 A	208-240 V • 3 phase
083950		

MADE IN FRANCE / CE NORM. 62135	50/60 Hz		I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables				cm	kg
GYSPOT PTI MASTER 400V	3 x 400 V		13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm² (option)	8 m, 4x4 mm² H07RNF	63 x 76 x 127	58
GYSPOT PTI MASTER 208-240V	3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm² (option)	8 m, 4xAWG8 (500W)	63 x 76 x 127	63
		208 V	11 300			6.9								
		230 V	12 500			7.7								
		240 V	13 000			8								
GYSPOT PTI EXPERT 400V	3 x 400 V		14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm² (option)	8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI EXPERT 208-240V	3 x	200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm² (option)	8 m, 4xAWG8 (500W)	65 x 100 x 230	119
		208 V	13 000			6.7								
		230 V	14 500			7.4								
		240 V	14 500			7.7								

FOR GYSPOT BP GENIUS, PTI PREMIUM PRO & PTI GENIUS

G Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel

Reversible
for G1, G3, G4, G5, G8, G10 & G12



Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp
067295



G2
8 bar/300 daN
022775



G6
8 bar/550 daN
022812



G7
4 bar/150 daN
022829



G11
8 bar/550 daN
for PTI PREMIUM PRO, NEO, MASTER & EXPERT
071766

G arms protections
067288



G4
8 bar/550 daN
022799

Option for G4

G4-SA (Small Access)
064478
(for arms < 01/2021)
63 156



G5
8 bar/550 daN
022805

Option for G5

G5/G10-SA (Small Access)
067660
63 220



G8
8 bar/550 daN
022836

Option for G8

G8-SA (Small Access)
067677
63 362



G1
8 bar/550 daN
022768

Option for G1 & G3



G3
8 bar/550 daN
022782

G1/G3-SA (Small Access)
067653
(for arms > 02/2021)
63 134



G10
8 bar/400 daN
067165

5 kg
20% saved



G12
8 bar/300daN
075238

Option for G10 & G12

G5/G10/G12-SA
(Small Access)
067660
63 220



G14
8 bar/550 daN
080942

G › X UNIQUE SYSTEM

PATENTED BREVETÉ / PATENTED n° US 11,618,097

AUTOMATIC WELDING FOR X1, X2 & X6

Youtube

G9 | 8 bar/550 daN
not for PTI PREMIUM PRO

G9 with X1 Included
022881

X1
050501



Option for G9

X2
050518



G9 with X6 Included
072275

X6
050587



90284 + 55121
for BP-G < Oct. 2019

Option
SD card
050914

Option
PCB
97449C

G ARMS PANELS

G2 + G3 + G4
022898

G2 + G3 + G5
063297

KIT SMALL ACCESS GENIUS

for PTI GENIUS
077072

included SA 073579

+ G1/G3-SA (Small Access) 134
+ G5/G10/G12-SA (Small Access) 220
+ G4-SA (Small Access) 156
+ G8-SA (Small Access) 368

X/C/G CONSUMABLES - Consommables X/C/G

Type A
C or X clamp
Ø 13 mm (x6)
049987

Type D
C or X clamp
Ø 13 mm (x10)
058507

TYPE G
Ø 13 mm (x10)
059672

Type B
C or X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

Caps inclinés - Beveled
X2, X4,C11 arms
Ø 13 mm (x6)
049994

Caps type A box
048935
x40

Caps type F box
077119
x40

073449
x20
x6
x2

Contact grease
Graisse contact
050440

Caps remover
050846

Anti-corrosion welding primer - Primaire de soudage anti-corrosion
076822

Spot / Monopoint
049291

050068

x10 x18
x6 x18

CAP GRINDER - Affuteur de caps

Youtube

Lame - Blade
052857

048966

Optimal speed : 400~800 rpm







GYRO 360°

for PTI
051720



STEEL SHEET TRACTION BENCH

- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung

052420

052321
(included)

WELD TEST KIT - Valise test soudure HLE / THLE

- Schweißtestkit im Hartschalenkoffer

050433

Barre d'arrachage / Traction bar
+ Acier doux / Mild steel 0.65 (x25) + 1.0 (x25)
+ Acier HSLA 360 - HLE 0.8 (x25) + 1.5 (x25)
+ Acier DP600 - THLE/UHLE 1.0 (x25)
+ Acier FB560 - THLE/UHLE 2.5 (x25)

ANTI-ARC PROTECTION 12V

- Protection anti–arc 12 V
- Lichtbogenschutz 12V- Protección anti-arco 12V

041318

PROTECTION COVER

- Housse de protection
- Schutzhaube



for BP & PTI
050853

for PTI GENIUS
077126

SHEETS SET

- Échantillons de tôles

Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)

055841

ELECTRODE FORCE SENSOR

- Capteur d'effort

052314

TANK DRAINING KIT - Kit de purge réservoir

- Kit zur Tankentleerung

058286

SD MEMORY CARD

- Carte mémoire SD

SD CARD
050914

KIT WIFI

for Gyspot Inverter PTI GENIUS

070691

COOLING LIQUID

- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

X ARMS

FOR GYSPOT 32D-X, 100R-CX, BP-LX

550 daN

6,5 kg including X1

DOUBLE PRESSURE

LIQUID COOLED
REFROIDISSEMENT LIQUIDE

Ø 10 mm

MADE IN FRANCE



X ARMS
Ø 25 mm

X Arms - Caps Ø13 mm



X1 8 bar/550 daN
050501



X2 8 bar/400 daN
050518



X4 8 bar/120 daN
050532



X5 8 bar/200 daN
050549



X4A 8 bar/150 daN
020702

X4B 8 bar/150 daN
020719



X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587



X11
3 bar/150 daN
051607

X4 (A, B & C) combinations



X ARMS PANELS

X4A (**x2**) + X5 + X2
022324



X arms support
021471

X4A (**x2**) + X4B + X4C + X2
020733



X arms support
021471

Remote control (BP)

Digital screen control
Change Mode & Parameters

X clamp control

C clamp control

C ARMS PANELS

C2
+ C3
+ C4
060821

ALL IN 1 BOX



C10 +
C3 +
C5 +
C6 +
C9
=
076495

C ARMS

FOR GYSPOT PTI

550 daN

Transformer inside

9,9 kg including C1

DOUBLE PRESSURE

AIR COOLED
+ LIQUID COOLED

DOUBLE REFROIDISSEMENT AIR + LIQUID

Ø 10 mm

Youtube

C Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel



PTI arm support kit
077577



BP arm support kit 080089

Arm lock pin
062405



C1 8 bar/550 daN
021402



C5 8 bar/550 daN
022393



C8 8 bar/550 daN
021440

X Arms - Caps Ø13 mm



C11 8 bar/550 daN
053649



C2 8 bar/550 daN
022386



C6 8 bar/300 daN
022409



C12 8 bar/550 daN
022997



C3 8 bar/550 daN
021419



C7 8 bar/550 daN
021433



C9 8 bar/550 daN
020078



C4 8 bar/550 daN
021426



C10 4 bar/150 daN
051638



5,7 kg
22% saved

C14 8 bar/400 daN
023543

Option for C7

C7-SA (Small Access)
067684



Option for C9 & C14

C9/C14-SA (Small Access)
067660

RIVETING

GYSPRESS 10T	73
GYSPRESS PREMIUM 10T PP	75
WORKSTATION	76
ADAPTERS	78
DIES BOXES & RIVETS	80
ACCESSORIES	83

Youtube

GYSPRESS 10T

6.5 bar	100 kN
10 t	

063303

070653



Discharge lever
- Levier de décharge - Auslösehebel

Speed control - Contrôle de la vitesse - Regelung Werkzeuggeschwindigkeit

Pressure control
- Contrôle de la pression - Druckregelung

US version
070653

Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

GYSPRESS 10T COMPLETE PACKS

HR110 063310 · XT11.21 - Extension for HR110 & HR210 058644 · Standard 10T tool box 053694 · 6 x 50 rivets RAP - Nieten SPR 048706 · Strap-Sangle-Gurt · HR arm locker · Poignée-Handle-Griff

HR210 + HR310 064089

24kN adapter 063822

Trolley+support 055391

	HR110 + XT11.21 + Standard 10T tool box + 6 x 50 rivets RAP + Strap-Sangle-Gurt + HR arm locker + Poignée-Handle-Griff	HR210 + HR310	24kN adapter	Trolley+support
GYSPRESS 10T 063303 / 070653	✓			
GYSPRESS 10T pack 1 066441	✓			
GYSPRESS 10T pack 2 082991	✓			
GYSPRESS 10T pack 3 064744	✓			✓

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ –	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL



	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓

KIT WITH HR210 + HR310
064089

XT31-40
Rallonges bras HR310 pour point millieu
- HR310 arm extension for middle point

Compatible 8T PP/10T/10T PP
x2
066335



OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer

28 x 40 x 21,5 cm
45 x 39 x 20 cm / 7.2 kg

054158

Trolley - Chariot

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg

054233

Trolley + Support
Chariot + Support

51 x 74 x 122 cm
51.2 kg

055391

Pressure sensor
- Capteur d'effort
062115

Hydraulic body wrenches (x 2)
067325

Temporary - Serre-tôles - fasteners manual mounting

(x10)
Ø 2,4 mm
069664

(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS

		 HR110 063310 XT11.21 - Extension for HR110 & HR210 058644 Standard 10T tool box 058631 6 x 50 rivets RAP - Nieten SPR 048706 Strap-Sangle-Gurt HR arm locker Poignée-Handle-Griff	 HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYSPRESS 10T PREMIUM PUSH PULL 077065 / 070660		✓			
GYSPRESS 10T PPP pack 1 082519		✓			
GYSPRESS 10T PPP pack 2 082526		✓			
GYSPRESS 10T PPP pack 3 082533		✓			✓

PREMIUM
PUSH PULL

GYSPRESS PREMIUM 10T PUSH PULL

6.5 bar	100 kN
10 t	

077065
070660

UNIQUE
PUSH PULL SYSTEM by GYS

LARGE OPENING



48.5 mm
(no dies)
23.5 mm with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic selection
- Sélection Manuel/ Automatique

Pressure control
- Contrôle de la pression
- Druckregelung

Speed control
- Contrôle de la vitesse
- Regelung Werkzeuggeschwindigkeit

US version
070660

Pressure gauge
Psi

HYDRAULIC SYSTEM
fermé - closed - geschlossen

UNIQUE
100% No air inclusion
maintenance free, no oil refill

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	kg
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ –	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1

SYNERGIC
RIVETING WORKSTATION
PNEUMATIC HYDRAULIC

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

ACCESSIBILITY
16 languages

FR, GB, DE, IT, ES, PR, CZ, NL, SE, RU, CN, JP, VN, FI, TR

★★★★ SYNERGIC RIVETS SETTINGS

Main panel

3 MODES
- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY
- ✓ VW GROUP
- ✓ MERCEDES-BENZ
- ✓ BMW
- ✓ TESLA
- ✓ FERRARI
- ✓ FORD
- ✓ RENAULT ALPINE
- ✓ GM

CONNECTIVITY



TRACEABILITY
History data export



SOFTWARE UPDATE
Gyspress evolutions



Youtube

UNIQUE PUSH PULL SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Gyspress support

Arms support

REGULATED PRESSURE CONTROL

POWER 10t

Discharge lever
- Levier de décharge
- Auslösehebel

WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar	100 kN
10 t	

063860

included

- **HR110** 063310
- **XT11.21** - Extension for HR110 & HR210 058644
- Standard 10T PushPull tool box 058361
- 6 x 50 rivets RAP - Nieten SPR 048706
- Strap-Sangle-Gurt
- HR arm locker
- Poignée-Handle-Griff

MADE IN FRANCE		AIR BAR	PRESSURE CONTROL	SPEED CONTROL	LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ −	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

OPTIONS

Pressure gauge - Capteur d'effort
10T PP CONTROL
071759

Youtube

Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL
(x 2)
067325

BLIND RIVET ADAPTERS
- ADAPTATEURS POUR RIVETS AVEUGLES



Compatibility

- GYSPRESS 10T
- GYSPRESS 10T PUSH PULL
- GYSPRESS 10T PUSH PULL PREMIUM
- GYSPRESS 10T CONNECT

Youtube

BLIND RIVET ADAPTER 24 KN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm 063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED
058446
for standard rivets :
Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm 077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED
058446
for standard rivets :
Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION
for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY

SPECIFIC STORAGE

PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

1. Stainless steel rod welding with GYSPOT Arcpull 350/700

2. Extraction of self piercing rivet with GYSPRESS adapters

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN 064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1

BLIND RIVET ADAPTER 50 KN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN

50 kN 1 m 064867
4.0 kg

For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard

+ Complete kit 065987

Ø 3.2	Ø 3.5	Ø 4.0	Ø 4.5	Ø 5.0
065994	066007	066014	066021	066038

OPTIONS

Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm noze-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076

included

M5	066083
M6	066090
M8	066106
M10	066113
M12	066120
M14	066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN 073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50Kn Ø 5 066151
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700 068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50Kn Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641		Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
×100	×1	×1	×1	×1	×2	×1	×1	×1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168

+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir						
	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	× 10	× 10	× 10	× 10	× 10	× 5

Blind rivet bolts - Goujons à sertir			
	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
+	× 10	× 10	× 10

Blind rivets - Rivets aveugles		
	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
+	× 10	× 10

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

2.0 < 6.5 mm | 3 < 5,8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

2.3 < 8.3 mm | 5,3 < 8 bar

Application of Flow-form rivets
-Pose de rivets Flow-Form
- Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen

2.3 < 8.3 mm | 8 bar

Metal sheet punching and shaping - Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm | 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD

STANDARD 8T/10T

for 8T 10T

053694

Included XT11-21 058644

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x2	x4	x1
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2			
Self-piercing rivets				Flow-form rivets		Extraction			Punching		key - clé	seals - joints	
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6				

STANDARD 8T/10T PUSH PULL

for 8T PP 10T PP 10T CONTROL

058361

Included XT31-60 - 60 mm extension for HR310 (use with ST1, T5, T7) 057135

+ XT11-21 058644

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x2	x4	x1
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7			
Self-piercing rivets				Flow-form rivets		Extraction			Punching			key - clé	seals - joints	
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6					

Ideal for aluminum & mild steel - Idéal aluminium et aciers doux

Low pressure — Ø 6.4 mm

KIT RMB PP05

for 10T PP 10T CONTROL

066366

x1	x1	x1
ST3	T12	T13
Punching		
	Ø 6.7	

Ideal for UHSS, Boron - Idéal aciers durs, Boron

BREVET GYS / GYS PATENT n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

HIGH pressure — Ø 6.4 mm

KIT RMB 08 PREMIUM

for 10T 10T PP 10T CONTROL

066403

x1	x1	x1
T14	T15	T16
Punching		
	Ø 6.7	

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM

for 10T 10T PP 10T CONTROL

071186

x1	x1	x1
T17	T18	T19
Punching		
	Ø 6	

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM

for 10T 10T PP 10T CONTROL

071193

x1	x1	x1
T20	T21	T22
Punching		
	Ø 8	

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM

for 10T 10T PP 10T CONTROL

080867

x1	x1	x1
T23	T24	T25
Punching		
	Ø 10	

GM

RMB 11

for 10T

071087

RMB PP04

for 10T PP 10T CONTROL

071063

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4
RMB 11 →	F1	F2	F6	E9	E11	T1	T2	—	—	—						
RMB PP04 →						—	—	ST1	T5	T7	T17	T18	T19	D18	D17	
	Flow-form rivets			Extraction		Punching									key - clé	seals - joints
	Ø 6			Ø 6 › 8		Ø 6										

FERRARI

RMB 06

for 8T 10T 8T PP 10T PP 10T CONTROL

059009

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x2	x4
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13		
Self-piercing rivets						Extraction				key - clé	seals - joints
Ø 3.9	Ø 4.75		Ø 3.9	Ø 4.75		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 4.75		

VW GROUP

RMB 03

for 8T 10T 8T PP 10T PP 10T CONTROL

054257

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16
Self-piercing rivets					Solid rivets			Extraction									Punching						key - clé	seals - joints
Ø 3.2 › 3.5	Ø 5 › 5.3	Ø 3.9	Ø 4.75		Ø 4		Ø 6	Ø 3.2				Ø 5.3	Ø 3.9 › 5.3	Ø 3.2		Ø 5.3	Ø 8	Ø 4.8		Ø 4 › 8	Ø 4	Ø 8	Ø 6	

NIO

RMB PP08

for 10T 10T PP 10T CONTROL

072404

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x1	x2	x4
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18		
Self-piercing rivets		Flow-form rivets			Extraction				Punching								key - clé	seals - joints
Ø 5.3	Ø 5.3	Ø 6			Ø 5.3		Ø 6		Ø 6									

MERCEDES-BENZ

RMB 07

for 10T

064454

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	
RMB 07 →	F1	F2	F3	F4	F5	—	—	—	E9	E10	E11	T1	T2	T3	T4		
	Flow-form rivets					Extraction						Punching				clé -key	
	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		S28/38/48/58/68		S08/18	Ø 5.3 › 8	Ø 6		Ø 8	Ø 6 › 8	Ø 8	Ø 6		Ø 8			

Included XT31-60 - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135

RMB PP01

for 8T PP 10T PP 10T CONTROL

058378

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	
F1	F2	F3	F4	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10			
Flow-form rivets					Extraction			Punching							clé -key	
Ø 6 - A1/2/3, S0/1/2/3/4/5/6		S28/38/48 /58/68		S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6	Ø 8	Ø 6	Ø 6	Ø 8	Ø 8			

Included XT31-60 - 60 mm extension for HR3

FORD

RMB PP02

for 10T 8T PP 10T PP 10T CONTROL

058835

x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
RMB PP02 →	B1	G1	G2	G3	G4	G5	G6	E7	E12		
	Self-piercing rivets							Extraction		key - clé	seals - joints
	Ø 5 › 5.3							Ø 5 › 5.3			

Included XT31-60 - 60 mm extension for HR3 (use with E7 & E12) 057135

JAGUAR / LAND ROVER

RMB 02

for 8T 10T 8T PP 10T PP 10T CONTROL

054271

x1	x1	x1	x1	x2	x1	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6		
Self-piercing rivets				Extraction			clé -key	seals - joints
Ø 5 › 5.3	Ø 5.3	Ø 4.8	Ø 4.75	—	Ø 3.3 › 4.8	Ø 3.3 › 4.8		

BMW

RMB 01

for 8T 10T 8T PP 10T PP 10T CONTROL

054240

x1	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	E1	E2		
Self-piercing rivets				Extraction		key - clé	seals - joints
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 3.3 › 4.8	Ø 3.9 › 5.3		

RMB 12

for 10T

071094

RMB PP07

for 10T PP 10T CONTROL

071070

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4
RMB 12 →	B1	B3	I1	I2	I3	F1	F2	F6	E3	E13	T1	T2	—	—	—						
RMB PP07 →											—	—	ST1	T5	T7	T17	T18	T19	D18	D17	
	Self-piercing rivets					Flow-form rivets			Extraction		Punching									key - clé	seals - joints
	Ø 5 › 5.3					Ø 6			Ø 3.3 › 4.8	Ø 9	Ø 6										

Included XT31-60 - 60 mm extension for HR310

PORSCHE

RMB 10

for 10T

069299

RMB PP06

for 10T PP 10T CONTROL

069305

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x2	x4	
RMB 10 →	B3	F2	E9	E11	T1	T2	—	—	—	T17	T18	T19	D17		
RMB PP06 →					—	—	T5	ST1	T7						
	Flow-form rivets		Extraction		Punching									key - clé	seals - joints
	Ø 6		Ø 6 › 8		Ø 6										

Included XT31-60 - 60 mm extension for HR310

TESLA

RMB 09

for 8T 10T 8T PP 10T PP 10T CONTROL

059931

x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
B1	H1	H2	H3	H4	H5	H6	H7	H8			
Self-piercing rivets									key - clé	seals - joints	
Ø 5 › 5.3	Ø 5.3										

RMB 13

for 10T

071100

RMB PP03

for 8T PP 10T PP 10T CONTROL

059092

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4
RMB 13 →	B1	S7	S8	F3	F4	F5	D17	E2	E3	E9	E10	—	—	—	T3	T4		seals
RMB PP03 →												ST2	T8	T10	—	—	key - clé	
	Self-piercing rivets			Flow-form rivets			Extraction					Punching						
	Ø 5 › 5.3		Ø 4.75	S28/38/48/58/68		S08/18	—	Ø 3.9 › 5.3	Ø 5.3 › 8	Ø 6 › 8	Ø 8	Ø 8			Ø 8			

Included XT31-60 - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

DIES - Matrices - Matrizen

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten

Extraction of rivets
- Extraction de rivets
- Niet-Auspressen



Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



																			Ø 8	
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		

																				NEW
×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
D15	D16	D17	D18	E1		E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F4	F45	
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	055803	083547	
				E1+E2											F1+F2					
				054318											054714					

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

									Ø 6	Ø 6				Ø 6		Ø 8			Ø 6.7	
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1		T2	T3	T4	T5	T7	T8	T10	T12	T13	
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380	
									T1+T2											
									054707											

PATENTED BREVET GYS / GYS PATENT
n° US 11,712,732



	Ø 6.7				Ø 6				Ø 8				Ø 10			
×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1	
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24		T25	
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854	



SELF PIERCING RIVETS (SPR)
- Rivets autoperçants (RAP) - Stanznieten

Steel - Acier - Stahl

Complete box
048706

Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

SPECIAL CENTER PUNCH
- Pointeau centreur
- Spezialkörner

048379

HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet

Ø 4.0 → 7.8

Steel → 6.4 mm
Alu → 7.8 mm

HR21

max 21 000 N (6 bar)

055407

MADE IN ITALY

included (x3)
058446

For standard rivets
Ø 4.0
51508

For Magnarive rivets
Ø 4.5
51507

Option HR21 extension
100 mm
063105

CORDLESS RIVETER - Riveteuse sur batterie
- Akku-Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet

Ø 4.0/4.8/5.0/6.0/6.4

TWO ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg

064461

BRUSHLESS motor

2 x
20V/2Ah Li-ion battery

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse
hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

HR14

max 14 000 N

057241

Made in Taiwan

MANUAL TOOL FOR BLIND RIVETS
- Riveteuse manuelle - Manueller Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

061323

Made in Taiwan

HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

HR9

max 9 000 N

057234

Made in Taiwan

HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse
hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

Sealing nuts
- Ecrous à sertir
- Blindnietmuttern

RIV 998

For sealing nuts from M3 to M12
Pour la pose d'écrous à sertir M3 à M12

max 19 000 N (6 bar)
included accessories for sealing nuts :
- livré avec accessoires pour écrous à sertir:
✓ M3 ✓ M4
✓ M5 ✓ M6
✓ M8 ✓ M10
✓ M12

055414

MADE IN ITALY

MIG-MAG
GMAW-FCAW

TRADITIONAL

GYS AUTO	86

INVERTER

E GYS AUTO	88
NEW P GYS AUTO	90
AUTOPULSE	92

ACCESSORIES & CONSUMABLES	96

MIG/MAG TRADITIONAL SYNERGIC

15 → 200 A
Ideal 0,6 mm



Capacitor

M1 GYS AUTO, M3 GYS AUTO
> PERFECT WELD



SYNERGIC EASY TO USE
Auto adaptative wire speed
- Réglage automatique de la vitesse
-Automatische Einstellung der Drahtgeschwindigkeit

M1 GYS AUTO

15 ◢ 160 A	Capacitor
230 V • 1 ~	6 m
032903	
208/240 V • 1 ~	2 m
032088	
with accessories	

T1 GYS AUTO DV

15 ◢ 200 A	
400 V • 3 ~ / 230 V • 3 ~	
032927	
with accessories	3 m

M3 GYS AUTO

15 ◢ 160 A	Capacitor
230 V • 1 ~	6 m
032880	

ACCESSORIES BOX





2 x 4 m³ (20L)

Protection gas
Argon+CO_2 (Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO_2 PUR (Steel)

OPTIONS

Spool Gun Torch
- Torche motorisée Spool Gun
- Spool Gun Brenner



041486
Ø 100
Ideal for
· Steel / Acier / Stahl
· Stainless steel / Inox
· Alu

included 045699

SPOOL GUN + Support for M3 GYS AUTO
038554

059276

15L / min
(FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691

OPTIMAPRO
30 L / min
(FR) 043619
(UK) 043626
(DE) 043633
(NL) 043640

30L / min
(FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707

MB 15 (150 A)
041226

x3	x5	x5 (M6-Ø0,6) x5 (M6-Ø0,8) x5 (Alu - M6-Ø0,8)	x3

041332

041806

M3GYS : Protection cover
- Housse de protection
- Schutzhaube

052260

MADE IN FRANCE	MADE IN GYS CHINA	CE NORM. 60974/1	50/60 Hz	A	min → max A	Reg	Ø mm 100 (spoolgun)	200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica		LxWxH cm / kg	Protected & compatible power generator (+/-15%)
	▪	M1 GYS AUTO	230 V 1~	16	15 → 160	6	option	▪	▪		90	140A@15%	0.6 → 1	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪			208/240 V 1~													37 x 79 x 67 / 57.5	
▪		T1 GYS AUTO DV	230 V 3~/400 V 3~	10	15 → 200	7	option	▪	▪		110	150A@25%	0.6 → 1	0.6/0.8	0.8	37 x 78 x 67 / 62	5.2 kVA
▪		M3 GYS AUTO	230 V 1~	16	15 → 160	6	▪	▪	▪		90	140A@15%	0.6 → 1	0.6/0.8 0.8/1.0	2 x 0.8	74 x 40 x 85 / 77.5	4,5 kVA

MIG/MAG INVERTER SYNERGIC

Lastest generation colour screen 3.5"

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EASY

EXPERT

Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas

EASY TO SETUP

Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- MANUAL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAY

FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES

gys.fr

EASY USB UPDATE

USB key 16 Gb
062344

E1 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754

075122

E2 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

075139

E3 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

075160

E1 GYS AUTO **200 A** • ×1

E2 GYS AUTO **200 A** • ×2

E3 GYS AUTO **200 A** • ×3

MADE IN FRANCE	CE NORM. 60974/1		50/60 Hz	A		min→max A	200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	E1 GYS AUTO		230 V 1 ~	16	6 m	10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GYS AUTO		230 V 1 ~	16	6 m	10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GYS AUTO		230 V 1 ~	16	6 m	10 → 200	▪			145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA

MIG/MAG PULSE SYNERGIC

NEW

16 languages
- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Lastest generation colour screen 3.5"

EASY

EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas

EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

EASY	
	SYNERGIC STANDARD
	SYNERGIC PULSE
EXPERT	
	MANUAL
	SYNERGIC STANDARD
	SYNERGIC PULSE

TORCH

- **2T**
- **4T**
- **SPOT**
- **SPOT DELAY**

SYNERGIES

- **STEEL** - ACIER
- **ALU**
- **STAINLESS STEEL** - INOX
- **BRAZING** - BRASAGE
- +40 SYNERGIES

FONCTIONS

- **TRACEABILITY**
- **PORTABILITY**
- +500 JOBS can be saved

UPDATES

gys.fr

EASY USB UPDATE

USB key 16 Gb
062344

10 → 220 A
Ideal 0.6 mm

P1 GYS AUTO
10 ◢ 220 A | 230 V 1~ | PFC

with accessories :
3 m, 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

080584

P1 GYS AUTO 208-240V
10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :
3 m, 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

080911

4 m³ (20L)

NEW

P1 GYS AUTO **220 A** • ×1

P2 GYS AUTO
10 ◢ 220 A | 230 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121

083134

P2 GYS AUTO 208-240V
10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121

083189

Helmet not included

2 x 4 m³ (20L)

NEW 06/2024

P2 GYS AUTO **220 A** • ×2

P3 GYS AUTO
10 ◢ 220 A | 230 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754

080591

P3 GYS AUTO 208-240V
10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754

080928

Cable support P2/P3
077300

Helmet not included

2 x 4 m³ (20L)

NEW

P3 GYS AUTO **220 A** • ×3

MADE IN FRANCE	CE NORM 60974/1		50/60 Hz	A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica			LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	**P1 GYS AUTO**		230 V 1 ~	16	6 m	10 → 220	▪	▪	1 x	150	220 A @ 20 %	0.6 → 1.2	Alu Type B 1.0/1.2			78 x 45 x 80 / 45	9KVA
▪	**P1 GYS AUTO 208-240V**		208 › 240 V 1 ~	16						150	220 A @ 20 %					78 x 45 x 80 / –	9KVA
▪	**P2 GYS AUTO**		230 V 1 ~	16	6 m	10 → 220	▪	▪	2 x	150	220 A @ 20 %	0.6 → 1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0		86 x 63 x 93 / 58	9KVA
▪	**P2 GYS AUTO 208-240V**		208 › 240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA
▪	**P3 GYS AUTO**		230 V 1 ~	16	6 m	10 → 220	▪	—	3 x	150	220 A @ 20 %	0.6 → 1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	9KVA
▪	**P3 GYS AUTO 208-240V**		208 › 240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA

MIG/MAG DOUBLE PULSE SYNERGIC

Youtube

ACCESSIBILITY

3 interface levels
- EASY
- EXPERT
- ADVANCED

16 languages
- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Latest generation colour screen 5"
800 x 480 (WVGA)

500+ JOBS can be saved

TRACEABILITY

PORTABILITY



MODES

DYNAMIC STANDARD
PULSE
PULSE IN PULSE
MANUAL
COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS

+ DSP

65+ SYNERGIES

Find all the synergies:
Retrouvez toutes les synergies :
Finde alle Synergien :

STEEL
Cu Si 3 / Cu Al 8
ALU

UPDATES

EASY USB UPDATE

gys.fr

USB key 16 Gb
062344

OPTIONS

PUSH PULL TORCH 24 V
Motor inside
MB 25
4 m
046283

MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)

x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche
053939

Protection cover
- Housse de protection
- Schutzhaube
052260

AUTOPULSE 220-M1				AUTOPULSE 220-M2		
1	Ø 200 / 300		PP	1	Ø 200 / 300		PP
–	–	–	–	2	Ø 200 / 300		–

µC ELECTRONIC

AUTOPULSE 220-M1
10 ◢ 220 A | 230V 1~ | PFC
with accessories :
4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138
065024

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1

AUTOPULSE 220-M2
10 ◢ 220 A | 230V 1~ | PFC
with accessories :
4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138
069855

AUTOPULSE 220-M2 208-240V
10 ◢ 220 A | 208>240V 1~ | PFC
with accessories :
4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138
069862



PFC POWER FACTOR CORRECTION
185 V – 265 V
110 V – 230 V
45 m

220 A • ×1

220 A • ×2

MADE IN FRANCE / CE NORM. EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	200	300	Cooling system	ELECTRONIC CONTROL	IA (60%)	X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
								Ø mm			Original equipement / Equipement d'origine / Originalausstattung / Equipamiento de fabrica	EN60974-1 (40°C)			
AUTOPULSE 220-M1	230 V · 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	■	Air	ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 65.5	10 kVA
AUTOPULSE 220-M2	230 V · 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	74 x 41 x 93 / 78.8	10 kVA
AUTOPULSE 220-M2 208-240V	208>240 V · 1 ~													74 x 40 x 93 / 79.8	

MIG/MAG

DOUBLE PULSE SYNERGIC

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1





TESLA APPROVED EQUIPMENT

AUTOPULSE 220-M3

10 ◢ 220 A | 230 V 1~ | PFC

with accessories :

- 4 m, 35 mm² – 043817
- CuSi – 150 A, 3 m, air – Ø 1.0 – 072121
- Steel – 150 A, 3 m, air – Ø 0.8 – 063754
- Alu – 250 A, 3 m, air – Ø 1.0 + Ø 1.2 – 072138

036703

AUTOPULSE 220-M3 208-240V

10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :

- 4 m, 35 mm² – 043817
- CuSi – 150 A, 3 m, air – Ø 1.0 – 072121
- Steel – 150 A, 3 m, air – Ø 0.8 – 063754
- Alu – 250 A, 3 m, air – Ø 1.0 + Ø 1.2 – 072138

062481

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283

MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)

x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche

053939

Protection cover
- Housse de protection
- Schutzhaube

052260

PFC POWER FACTOR CORRECTION

185 V – 265 V
110 V – 230 V
45 m

220 A • ×3

AUTOPULSE 320-T1

15 ◢ 320 A | 400 V 3~

with accessories :

- 4 m, 35 mm² – 043817
- Alu – 250 A, 3 m, air – Ø 1.0 + Ø 1.2 – 072138

069831

AUTOPULSE 320-T3

15 ◢ 320 A | 400 V 3~

with accessories :

- 4 m, 35 mm² – 043817
- Steel – 250 A, 3 m, air – Ø 1.0 – 072152
- Steel – 250 A, 3 m, air – Ø 0.8 – 072145
- Alu – 250 A, 3 m, air – Ø 1.0 + Ø 1.2 – 072138

067615

AUTOPULSE 320-T3 208-240V

15 ◢ 320 A | 208>240 V 3~ | PFC

with accessories :

- 4 m, 35 mm² – 043817
- Steel – 250 A, 3 m, air – Ø 1.0 – 072152
- Steel – 250 A, 3 m, air – Ø 0.8 – 072145
- Alu – 250 A, 3 m, air – Ø 1.0 + Ø 1.2 – 072138

036970

OPTIONS

for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH
Ideal Alu
Ø 0,8 – Ø 100
4 m
041486

320 A • ×1

320 A • ×3

MADE IN FRANCE – CE NORM. EN60974-1	50 / 60 Hz		A	Ø mm	A	SPOOLGUN	PUSHPULL	Ø mm 200	Cooling system	ELECTRONIC CONTROL		IA (60%)	X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M3	230 V · 1 ~	8 m	16	0.6 → 1.2	10 → 220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V	208 > 240 V · 1 ~	8 m	16	0.6 → 1.2	10 → 220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA

MADE IN FRANCE – CE NORM. EN60974-1	50 / 60 Hz		A	Ø mm	A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	ELECTRONIC CONTROL		IA (60%)	X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 320-T1	400 V · 3 ~	5 m	16	0.6 → 1.2	15 → 320	–	OPTION	■	■	Air		ALU : Type B 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 94 / 65.1	16 kVA
AUTOPULSE 320-T3	400 V · 3 ~	5 m	16	0.6 → 1.2	15 → 320	OPTION	OPTION	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA
AUTOPULSE 320-T3 208-240V	208-240 V · 3 ~	5 m	25	0.6 → 1.2	15 → 320	—	OPTION	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 95 / 82	16 kVA

MANUAL TORCHES

- Torches manuelles - Brenner
- Antorcha - Lastoort - Tocha

CLASSIC

CLASSIC GRIP

FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos

PUSH PULL

for AUTOPULSE

MADE IN FRANCE

Rollers - Galets - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes

0.6/0.8/1.0 **046290**
0.8/1.0/1.2 **038752**

Connector Push Pull 10 pts **064393**

SPOOL GUN

Special CAR BODY REPAIR MACHINES

COMPLETE TORCHES

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, $ArCo_2$	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø0.8	M6 Ø1.0	M6 Ø0.8	M6 Ø1.0	M8 Ø1.2	M6 Ø1.2	M6 Ø0.8	M6 Ø1.0	M6 Ø1.2	M8 Ø1.2	M6 Ø1.2	M6 Ø 1.2	M6 Ø0,8
	3 m 063754	3 m 072121	3 m 072145	3 m 072152	4 m 063792	3 m 040694	3 m 063761	3 m 063785	3 m 072138	3 m 063808	3 m 040748	4 m 046283	4 m 041486
	3 m Flexible 082151			4 m 063778	3 m 040687	4 m 043275	3 m 041462	3 m 040724		3 m Carbon liner 040731	4 m 043282		
	3 m 041424			3 m 040700	4 m 040946			4 m 040939		4 m Carbon liner 040953			
	3 m 043268			4 m 040922	4 m 040557								
	3 m 043251			3 m 040540									

Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806

MIG torch stand with magnetic base

- Support torche magnétique

041653

CONSUMABLES - Consommables



Tip adaptors & diffusers - Supports tube contact & diffuseurs

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR		AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5) 042902	B1 (x5) 042995	D1 (x3) 043008	C1 (x3) 043589	A1 (x5) 042902	B1 (x5) 042995	D1 (x3) 043008	C1 (x3) 043589	A1 (x5) 042902	B1 (x5) 042995	A1 (x5) 042902
+	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10) 042988	B2 (x5) 042919	D2 (x5) 042926	C2 (x5) 043541	A2 (x10) 042988	B2 (x5) 042919	D2 (x5) 042926	C2 (x5) 043541	A2 (x10) 042988	B2 (x5) 042919	A2 (x10) 042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø 0.6	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
Ø 0.8	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
Ø 1.0	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	C (x10) 419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
Ø 1.2	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	C (x10) 419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
Ø 1.4	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
Ø 1.6	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
Ø 2.4	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
A	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
B	53 mm (x1) 041851	—	—										
C	53 mm (x1) 041523	—	—										
D	(x1) 041868	—	—										
E	(x1) 043084	(x1) 040571	(x1) 040588										

Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos

x 3	x 5	M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 Alu - M6 - Ø0.8 x 5	x 3	=	MB 15 (150 A) 041226
M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 Alu - M6 - Ø1.0 x 5	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 Alu - M6 - Ø1.0 x 5 Alu - M6 - Ø1.2 x 5	—	—	=	MB 15 / MB 25 077089
x 5	x 3	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 Alu - M6 - Ø1.0 x 5	x 3	=	MB 25 (250 A) 041233
x 2	x 3	M6 - Ø1.0 x 5 M6 - Ø1.2 x 5 Alu - M6 - Ø1.0 x 5 Alu - M6 - Ø1.2 x 5	x 2	=	MB 36 (350 A) 041417

CONSUMABLES - Consommables



TORCH LINERS - Gaines - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço

Ø 0.6 / 0.8	3 m	041592
	4 m	041837
Ø 1.0 / 1.2	3 m	041608
	4 m	041844
	5 m	062276
Ø 1.2 / 1.6	3 m	418417
	4 m	418424
	5 m	062283
Ø 1.6 / 2.4	4 m	040526
	5 m	062290

TEFLON

Ø 0.6 / 0.8	3 m	041578
	4 m	044050
Ø 1.0 / 1.2	3 m	041585
	4 m	044067
	8 m	038677
Ø 1.2 / 1.6	4 m	044074

Guide gaine téflon pour motodévidoir
079601

CARBON

Ø 0.6 / 0.8	4 m	039834
	5 m	062306
Ø 1.0 / 1.2	4 m	039827
	5 m	062313
Ø 1.2 / 1.6	4 m	039810

PUSH PULL TORCH

Ø 1.0 / 1.2	8 m	038172

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

For : Carmig

Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346

TYPE B

For : Autopulse 220, Autopulse 320-T1, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto

Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
	Ø 1.2 / 1.6	x 2	042384
Alu	Ø 0.8 / 1.0	x 1	042155
		x 2	042377
	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C

For : Neopulse - Autopulse 320-T3



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240

= Ø 0.9 1.0 / 1.2 (x1) Type A

+ M6-Ø0.9 (x3)

+ Isolated Nozzle No Gas - 150 A (x1)

For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

GAS CONNECTORS - Raccords gaz - Gasanschlüsse

x2
045712

x1
046245

x1
067936

Tuyau caoutchouc- Rubber hose
Ø 6.3 X 13 (EN ISO 3821)

1.5 m	066670
4 m	046269
✂ x m	046276

SPECIAL MIG-MAG PLIER - Pince spéciale MIG/MAG - Spezial MIG/MAG Zange - Pinza especial MIG/MAG

PRO (x1)

041332



1) Clean 2) Cut 3&4) Prepare (contact tube & nozzle)

Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806



Torch gas flow-meter

- Débimètre de bout de torche

053939

WELDING WIRE REELS

- Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

100 mm



ECO
Ecological wire reel - Bobine écologique

STEEL - Acier - Stahl - Acero - Staal - Aço

SG2

Norms : **AWS** 5.18 : ER 70S-6 ; **EN** ISO 14341-A : G46 4MG3Si1 ; **DIN** 8559 : SG2

100 mm 0.9 kg	Ø 0.6	086593
	Ø 0.8	086609
200 mm 5 kg	Ø 0.6	086111
	Ø 0.8	086128
	Ø 1.0	086135
300 mm 15 kg 18 kg ECO	Ø 0.6	086166
	Ø 0.8	086227
	Ø 0.8 ECO	086272
	Ø 1.0	086234
	Ø 1.0 ECO	086289
	Ø 1.2	086241
	Ø 1.2 ECO	086296
300 mm EXCELLIUM 15 kg	Ø 1.0 ECO	086302
	Ø 1.2 ECO	086319

SG1

Norms : **AWS** 5.18 : ER 70S-3 ; **EN** ISO 14341-A : G42 2MG2Si1 ; **DIN** 8559 : SG1

200 mm 5 kg	Ø 0.6	086418
	Ø 0.8	086401

CrMO2Si

Norms : **AWS** 5.28 : ER 90S-B3 ; **EN** ISO 2195L-A : Cr CrMo25i

300 mm 15 kg	Ø 0.8	086258

UHSS

Norms : **AWS** ASME SFA-5.28 : ER 120 S-G ; **EN** ISO 12534 : G Mn4Ni2, 5CrMo

200 mm 5 kg	Ø 0.8	086203

Hardfacing - Rechargement Acier 60 HRC

Norms : **EN** 14700 : TZ Fe 2 ; **DIN** 8555 : MSG 6-CF-60

300 mm 16 kg	Ø 1.2 ECO	086173

Cored wire - Fil fourré - Fülldraht - Hilo tubular

Norms : **AWS** 5.20 : E71T-GS ; **EN** ISO 17632-A T42 Z W N 1 H15

100 mm 0.9 kg	Ø 0.6	086425
	Ø 0.9	086104
200 mm 4.5 kg	Ø 0.9	086265
	Ø 1.0	086623
	Ø 1.2	086630
300 mm 15 kg	Ø 1.0	086388
	Ø 1.2	086395

Galva (G2Ti)

Norms : **AWS** 5.18 : ER 70S-2 ; **EN** ISO 14341-A : G42 2 M G2Ti ; **DIN** 8559 : SG2

200 mm 5 kg	Ø 0.6	086760
	Ø 0.8	086777

BRAZING - Brasage

CuAl8 HLE - UHTS (Boron Steel)

Norms : **AWS** 5.7 : ER CuAl-A1 ; **EN** ISO 14640 : S Cu 6100 ; **DIN** 1733 : SG-CuAl8

200 mm 2 kg	Ø 0.8	077409
200 mm 5 kg	Ø 0.8	086661
	Ø 1.0	086197
300 mm 15 kg	Ø 1.0	086180

CuSi3 HLE - UHTS (Boron Steel)

Norms : **AWS** 5.7: ER CuSi-A ; **EN** ISO 14640 : S Cu 6560 ; **DIN** 1733 : SG-CuSi3

100 mm 1 kg	Ø 0.8	086692
200 mm 2 kg	Ø 0.8	077393
200 mm 5 kg	Ø 0.8	086647
	Ø 1.0	086654
200 mm EXCELLIUM 5 kg	Ø 0.8	086210

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200

042889

STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)

Norms : **AWS** 5.9 : ER 316L Si ; **EN** ISO 14343-A : G19 12 3 L Si ; **DIN** 8556 : SG X2 CrNiMo 19 12

200 mm 5 kg	Ø 0.8	086326
	Ø 1.0	086364
300 mm 15 kg	Ø 1.0	086371

CrNi (308LSi)

AWS 5.9 : ER 308L Si ; **EN** ISO 14343-A : G19 9 L Si ; **DIN** 8556 : SG X2CrNi 19 9

100 mm 1 kg	Ø 0.8	086616
200 mm 5 kg	Ø 0.8	086579
	Ø 1.0	086340
300 mm 15 kg	Ø 1.0	086357

After sales

Professional 71608

Industrial 71613

ALUMINIUM

AlSi5

Norms : **AWS** 5.10 :ER 4043 ; **EN** ISO 18273 : S Al 4043-A ; **DIN** 1732 : SG-AlSi5

100 mm 0.5 kg	Ø 0.8	086685
200 mm 2 kg	Ø 1.0	086142
	Ø 1.2	086159

AlSi12

Norms : **AWS** 5.10 : ER 4047 ; **EN** ISO 18273 : S Al 4047 ; **DIN** 1732: SG-AlSi12

100 mm 0.5 kg	Ø 0.8	086678
200 mm 2 kg	Ø 0.8	077140
	Ø 1.0	086067
	Ø 1.2	086074
300 mm 7 kg	Ø 1.2	086043

AlSi10Cu4

Norms : **AWS** 5.10 : ER 4145 ; **EN** ISO 18273 : S Al 41

200 mm 2 kg	Ø 1.2	073432

AlMg5

Norms : **AWS** 5.10 : ER 5356 ; **EN** ISO 18273 : S Al 5356 ; **DIN** 1732 : SG-AlMg5

100 mm 0.5 kg	Ø 0.8	086548
200 mm 2 kg	Ø 0.8	086555
	Ø 1.0	086562
300 mm 7 kg	Ø 1.0	086524
	Ø 1.2	086531
300 mm EXCELLIUM 7 kg	Ø 1.0 ECO	086487
	Ø 1.2 ECO	086494

AlMg2.7Mn

Norms : **AWS** 5.10 : ER 5554 ; **EN** ISO 18273 : S Al 5554 ; **DIN** 1732 : SG-AlMg

200 mm 2 kg	Ø 1.2	086517
300 mm 7 kg	Ø 1.2	086500

Thickness measurement tools (x3)

- Jauges d'épaisseur (x3)
- Dickenessgeräte (x3)

071414

0.6 › 8 mm

NEW

PLASMA CUTTING

EASYCUT K	101
EASYCUT	102
CUTTER	103

PLASMA

COMPRESSOR INSIDE • 1 ~

COMPRESSOR COMPRESSOR INSIDE

Plasma torch TPT 25, 4m 068087

Plasma torch TPT 35, 4m 080775

Youtube

ULTRA LIGHT & COMPACT

INTEGRATED AIR FILTER + AUTOMATIC DRAIN

PFC EN 61000-3-12 POWER FACTOR CORRECTION

EASYCUT K25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR

TPT 25, 4 m 068087 + 2 m, 10 mm²

068063

Youtube

EASYCUT K35 PFC

230 V • 1 ~ | 35 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR



TPT35, 4 m 080775 + 2 m, 10 mm²

080768

TPT35, 4 m + 2 m, 10 mm² + Box TPT35 080782 + UNIVERSAL 800 051331

080805

OPTIONS

Consummables

					Boxes - Coffrets
for TPT25	x 4 040236	x 10 040212	x 2 040175	x 10 040168	039971
	x1	x1	x1	x1	
for TPT35	x 4 040182	x 10 080799	x 2 040175	x 10 040168	080782
	x1	x1	x1	x1	

Compas

040205

x1 040199



PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

MADE IN FRANCE / CE NORM. EN60974-1		AM	I2	mm Coupe max Severance cut		mm Coupe propre Clean cut		INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15 %)	
	50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	AD	IP23	COMPRESSOR	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg		
EASYCUT K25	230 V 1~	16	10 → 25	8	6	6	4	■	—	—	—	■		included		15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA
EASYCUT K35 PFC	230 V 1~	16	10 → 35	15	10	10	8	■	■	■	■	■		included		26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA

PLASMA

1~

Youtube

Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753

AD ANTI-DUST VENTILATION CORRIDOR

PFC + FV POWER FACTOR CORRECTION + FLEXIBLE VOLTAGE



CNC COMPUTER NUMERICAL CONTROL



INCLUDED : 8 mm

DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

IDEAL CARBODY REPAIR

INCLUDED : 8 mm

DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

DIGITAL (PRESSURE SENSOR

Youtube

EASYCUT 25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm

TPT 25, 4 m 068087 + 2 m, 10 mm²

065543
072046

EASYCUT 30 FV

110 → 230 V • 1 ~ | 30 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC FV

TPT 40, 4 m 060753 + 2 m, 10 mm²

013858

EASYCUT 40

230 V • 1 ~ | 40 A | Fe 18 mm Al/CrNi 15 mm

TPT 40, 4 m 060753 + 2 m, 10 mm²

029743

CUTTER 45 CT

110 → 230 V • 1 ~ | 45 A | Fe 30 mm Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC

2 m, 10 mm²

014787

TPT 40, 4 m + 2 m, 10 mm²

013629

MT 70, 6 m + 2 m, 10 mm² + Box 20-50A 061613

062962

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35, MT 25K / MT 35K
x1
040199



Consumables

	MT25K		TPT25		MT35K		TPT35		TPT40	
	x 4 040182	x1	x 4 040236	x1	x 4 040229	x1	x 4 040182	x1	x 4 040236	x1
	x 10 040151	x3	x 10 040212	x3	x 10 040212	x3	x 10 080799	x3	x 10 040212	x3
	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1
	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3
Boxes - Coffrets	039971		070721		039964		080782		039957	

Trolley - Chariot

PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

Jobsite XL
039568
60 x 59 x 115 cm / 18.4 kg
66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning filter for Plasma Cutter 40 - Filtre déshumificateur spécial Plasma
039728

Filter cartridge - Cartouche pour filtre
039735

CE NORM. EN60974-1			50/60 Hz	A	A	Coupe max Severance cut Fe	Coupe max Severance cut Al/CrNi	Coupe propre Clean cut Fe	Coupe propre Clean cut Al/CrNi	Perçage Piercing Fe	Perçage Piercing Al/CrNi	INTEGRATED TECHNOLOGY P400	PFC	FV	GRID CUT	AD	IP23	CNC	AIR SYSTEM min	ideal	max	EN 60974-1 (40°C) I 60%	X% I2 max	100%	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)	
MADE IN GYS CHINA	EASYCUT 25		230V 1~	16	10 → 25	8	6	6	4	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	EASYCUT 30FV		230V 1~	16	10 → 30	15	10	10	8	—	—	■	■	■	—	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A	30%	20 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
			110V 1~	32	10 → 30																	19 A	25%	15 A			
MADE IN GYS CHINA	EASYCUT 40		230V 1~	16	10 → 40	20	15	15	10	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN FRANCE	CUTTER 45CT	TPT 40	230V 1~	16	15 → 45	20	15	15	10	8	6	■	■	■	■	■	■	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A	50%	32 A	51 x 31 x 47 / 16.4	10.5 kW	8 kVA
			110V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			
		MT 70	230V 1~	32	15 → 45	30	20	25	15	12	10								5 bar	5.2 bar 185 L/min	7 bar	41 A	50%	32 A			
			110V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			

INDUCTION HEATING

1 200 › 22 000 kW

GYSDUCTION	106
COMBIDUCTION	107
POWERDUCTION	108
ACCESSORIES & CONSUMABLES	112

INDUCTION
HEATING

CAR BODY

PFC POWER FACTOR CORRECTION
185 V – 265 V
110 V 230 V
45 m

Youtube

PACKS - GYSDUCTION AUTO

	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981	SMART REPAIR AUTO 079847
	=	=	=	=	=	=	=	=	=
GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plastic wedges 051294	✓	✓	✓	—	—	✓	✓	—	✓
Burn off Inductor 053373	✓	✓	✓	—	—	✓	✓	—	✓
Body Inductor 053359	✓	✓	✓	—	—	✓	1 box	—	✓
Bolt Inductor 053366	✓	✓	✓	✓	✓	—		—	—
Remote control 055490	✓	✓	✓	✓	✓	✓		—	✓
Universal 800 051331	✓	1 box	—	1 box	—	—		—	—
Cable support 052284	✓		—		—	—		—	—
Dent pulling Inductor 054776	3 boxes		—		—	✓		✓	—
Spiral inductor 054783			✓ 1 box		✓ 1 box	1 box		1 box	✓ 1 box

GYSDUCTION AUTO

2 400 W | 230 V • 1 ~

PFC AIR

READY TO USE
Liquid included

COMBIDUCTION AUTO 50LG

5 200 W | 230 V • 1 ~

PFC LIQUID

065901

INCLUDED COMBIDUCTION

Glass - Décapage - Entfernen
053373

Decal - Décollage - Entkleben
053359

OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor
054783

800 mm
054813

800 mm
054868

SIDE



Ø 18 mm	≤ M8	054806
Ø 24 mm	≤ M12	054790
Ø 30 mm	≤ M16	055469

Complete with - Completez avec - Vervollständigen mit :

SIDE



Ø 21 mm	≤ M10	079953
Ø 27 mm	≤ M14	079960

FRONT



Ø 18 mm	≤ M8	079977
Ø 21 mm	≤ M10	079984
Ø 24 mm	≤ M12	079991
Ø 27 mm	≤ M14	080003
Ø 30 mm	≤ M16	080010

PDR : Paintless Dent Repair
- Débosselage sans peinture
- Lackschadenfreies Ausbeulen
054776

Licensed by BETAG innovation

Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12)
048898

Adhesive for logo
(x10)
051492

CONSUMABLES

for

Protection (x5)
+ Colle - Stick
053854

for

Protection (x1)
+ Colle - Stick
059108

for

Protection (x10)
+ Colle - Stick
053847

CE NORM. EN-60 335/1	MADE IN FRANCE		A	W	kHz	PFC	Liquid Cooling	Cable L (m)	Inductor	Heating			LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
GYSDUCTION AUTO		230 V, 1~, 50/60 Hz	16 mini	2400	35 → 100	■	—	2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9	3 kW
COMBIDUCTION AUTO 50LG		230 V, 1~, 50/60 Hz	25 mini	5 200	20 → 80	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	v	6 kW

INDUCTION HEATING
1.2 → 5.2 kW

MAINTENANCE / MECHANIC / INDUSTRY

Youtube



	10R	10R PRO
POWERDUCTION 10R	✓	✓
Flexible 800 mm | 054813	✓	✓
Straight 800 mm | 054868	✓	✓
SIDE		
Ø 18 mm | ⬡ ≤ M8 | 054806	✓	✓
Ø 21 mm | ⬡ ≤ M10 | 079953	—	✓
Ø 24 mm | ⬡ ≤ M12 | 054790	✓	✓
Ø 27 mm | ⬡ ≤ M14 | 079960	—	✓
Ø 30 mm | ⬡ ≤ M16 | 055469	✓	✓
FRONT		
Ø 18 mm | ⬡ ≤ M8 | 079977	—	✓
Ø 21 mm | ⬡ ≤ M10 | 079984	—	✓
Ø 24 mm | ⬡ ≤ M12 | 079991	—	✓
Ø 27 mm | ⬡ ≤ M14 | 080003	—	✓
Ø 30 mm | ⬡ ≤ M16 | 080010	—	✓



NEW

included	37LG S90	37LG S180/B3W
S90 | 058927	✓	—
S180/B3W | 067899	—	✓

included	39LG C20/B1	39LG S90
C20/B1 | 056862	✓	—
28S | 064485	—	✓
S90 | 058927	—	✓

included
For use < 3600W

included C20/B1
056862

READY TO USE
Liquid included

READY TO USE
Liquid included

1 200 W | 230 V • 1 ~ | AIR

POWERDUCTION 10R (5 inductors)
062504
: 068643
: 080966

POWERDUCTION 10R PRO (12 inductors)
080195
: 080300

POWERDUCTION 37LG (S90)
3 700 W | 230 V • 1 ~
❄ LIQUID
056992
: 072510
: 080959

POWERDUCTION 37LG (S180/B3W)
3 700 W | 230 V • 1 ~
❄ LIQUID
083387
: 083394
NEW

POWERDUCTION 39LG (C20/B1)
3 700 W | 230 V • 1 ~
PFC ❄ LIQUID
058583

POWERDUCTION 39LG (S90)
3 700 W | 230 V • 1 ~
PFC ❄ LIQUID
080027

POWERDUCTION 50LG
5 200 W | 230 V • 1 ~
PFC ❄ LIQUID
055599

OPTIONS 10R

Decal - Décollage - Entkleben
066601

Loosening - Dégrippage - Lockerung
079472

OPTION 37LG

Cable hanger - Cable support
052284

Trolley - Chariot
UNIVERSAL 800
051331

OPTION 50LG

Protection cover
- Housse de protection
- Schutzhaube

062733

MADE IN FRANCE		AM A	W	Freq. kHz	INTEGRATED TECHNOLOGY P400	PFC	❄ Liquid Cooling	Cable L (m)	Inductor	Heating			Protected & compatible power generator (+/-15 %)	L × W × H cm / kg	L × W × H cm / kg
POWERDUCTION 10R / 10R PRO	230 V, 1~ 50/60 Hz	10 mini	1 200	45 → 80	—	—	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	1.5 kW	062504 - 42 × 17 × 37 / 5.4 080195 - NF	062504 - 21 × 10 × 15 / 3.3 080195 - NC
POWERDUCTION 37LG	230 V, 1~ 50/60 Hz	16 mini	3 700	15 → 30	—	—	▪ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	60 × 34 × 33 / 14.5	56 × 26 × 29 / 13
POWERDUCTION 39LG (C20/B1) / (S90)	230 V, 1~ 50/60 Hz	16 mini	3 700	20 → 60	▪	▪	▪ 7 l	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	058583 - 81 × 38 × 59 / 52 080027 - NF	058583 - 46 × 36 × 70 / 46.5 080027 - NC
POWERDUCTION 50LG	230 V, 1~ 50/60 Hz	25 mini	5 200	20 → 60	▪	▪	▪ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	6 kW	80 × 60 × 60 / 71	46 × 43 × 75 / 58

INDUCTION HEATING
11 → 22 kW

NEW

included	110LG L90	110LG L20/B4
32L 064515	✓	✓
L90 059788	✓	—
L20/B4 067882	—	✓

NEW

included	160LG L90	160LG L20/B4
32L 064515	✓	✓
L90 059788	✓	—
L20/B4 067882	—	✓

POWERDUCTION 110LG (L90)
11 000 W | 400 V • 3 ~
LIQUID
058590

POWERDUCTION 110LG (L20/B4)
11 000 W | 400 V • 3 ~
LIQUID
NEW
083400

POWERDUCTION 160LG (L90)
16 000 W | 400 V • 3 ~
LIQUID
057814

POWERDUCTION 160LG (L20/B4)
16 000 W | 400 V • 3 ~
LIQUID
NEW
083417

POWERDUCTION 220LG
22 000 W | 400 V • 3 ~
LIQUID
6 m cable : 066861
10 m cable : 074576

POWERDUCTION 110LG (L90) 208-240V
11 000 W | 208-240 V • 3 ~
LIQUID
065246

POWERDUCTION 160LG (L20/B4) 208-240 V
16 000 W | 208-240 V • 3 ~
LIQUID
065253

OPTIONS

Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION 110 - 160 - 220 LG
068599

Cooling liquid for POWERDUCTION
2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 160 - 220 LG
050853

Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 110LG
062733

055490

OPTION

Powerduction 160/220 LG over hanging arm-pulley
- Équilibreur Powerduction 160/220 LG

079441



t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)

POWER HEAT CONTROLLER
061644

Included
T° sensors
thermocouple type K
x2



Compatibility
POWERDUCTION 110LG
POWERDUCTION 110LG 208-240 V
POWERDUCTION 160LG
POWERDUCTION 160LG 208-240 V
POWERDUCTION 220LG

OPTION

Pyrometer IR
for inductor L90
1.1 m
064119

MADE IN FRANCE		A	W	kHz	Liquid Cooling	Cable L (m)	Inductor	Heating			LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
POWERDUCTION 110LG	400 V, 3~,50/60 Hz	16 mini	11 000	20→60	▪ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 66.5	59 x 80 x 60 / 86	15 kW
POWERDUCTION 110LG 208-240V	208-240V, 3~, 50/60 Hz	35 mini	11 000	20→60	▪ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 78	59 x 80 x 60 / 90	15 kW
POWERDUCTION 160LG	400 V, 3~,50/60 Hz	32 mini	16 000	20→60	▪ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 128	80 x 61 x 120 / 140	22 kW
POWERDUCTION 160LG 208-240V	208-240 V, 3~,50/60 Hz	45 mini	16 000	20→60	▪ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 113.5	80 x 60 x 120 / 126	22 kW
POWERDUCTION 220LG	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	▪ 30 l	4	6	M45 → 3 s	4 mm → 3 s 8 mm → 9 s	Ø10 → 4 s	70 x 60 x 120 / 98	80 x 60 x 132 / 139	22 kW
POWERDUCTION 220LG 10M	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	▪ 30 l	4	**10**	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 60 x 120 / 132.5	80 x 60 x 120 / 144.5	22 kW

SMALL Ø16
INDUCTORS

*= original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B3W 067899
37 LG	✓*	✓				✓
39 & 50 LG	✓ with adapter 28S					
110,160 & 220 LG	✓ with adapter 32S					

	S20/D20	S90/D20	S180/D20
Ø 20	078796	078871	069985
Ø 25	078802	078888	069992
Ø 30	078819	078895	070592
Ø 35	078826	078901	070608
Ø 40	078833	078918	070615
Ø 45	078840	078925	070622
Ø 50	078857	078932	070639
Ø 55	078864	078949	070646
37 LG	✓ S20/D20~D35, S90/D20~D35, S180/D20~D35		
39 & 50 LG	✓ with adapter 28S		
110, 160 & 220 LG	✓ with adapter 32S		

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

	S180 HEAT TUBE D37 078604	S180 HEAT TUBE D40 078611	S180 HEAT TUBE D50 078628
39 & 50 LG	✓ with adapter 28S		
110, 160 & 220 LG	✓ with adapter 32S		

DIFFICULT ACCESS ADAPTERS

90°-S
082663
- ✓ compatible with 180/B1
- ✓ compatible with 180/B2
- ✓ compatible with 180/B3W

ADAPTERS

28S
M28 Ø16
064485

32S
M32 Ø16
064508

39 & 50 LG	✓ 28S M28 Ø16
110, 160 & 220 LG	✓ 32S M32 Ø16

Boxes - Boîtes

28S/B type W
for 39LG & 50LG
072497
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
28S (x1)
B1 (x1)
B3 (x1)

32S/B type W
ffor 110LG, 160LG & 220LG
072503
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
32S (x1)
B1 (x1)
B3 (x1)

L box
065796
included :
L70 (x1)
L180 (x1)

Trolley for inductor for adapter 32L
Chariot pour inducteur pour adaptateur 32L
075955
4 to 8 wheels

Ferrites - Ferrites - Ferritaufsatz

B1 053823	B1 (x5) 079380	B2 053458	B3 067875	B4 053755	B5 079489	B1 056909 / B1 (x5) 079397	B2 056916	B3 072527	B4 054844	Spiral 069701

Glue kit for inductor
Kit de colle pour inducteur
075948

Colle-Stick bi-composants
Power Epoxy 150°C
054851

LARGE Ø32
INDUCTORS

*= original equipment	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L20/B4 067882	L180/B4 079786	L20 Alu Glove 069114
39 & 50 LG	✓ with adapter 28L						
110, 160 & 220 LG	✓ with adapter 32L*	✓ with adapter 32L			✓ with adapter 32L*	✓ with adapter 32L	✓ with adapter 32L

	Pre-heating - Préchauffe	Heating - Chauffe	L20/D60 078956	L90/D60 079106	L180/D60 069923
Ø 60			L20/D60 078956	L90/D60 079106	L180/D60 069923
Ø 70			L20/D70 078963	L90/D70 079113	L180/D70 069930
Ø 80			L20/D80 078970	L90/D80 079120	L180/D80 069121
Ø 90			L20/D90 078987	L90/D90 079137	L180/D90 069947
Ø 100			L20/D100 078994	L90/D100 079144	L180/D100 069954
Ø 110		✓	L20/D110 079007	L90/D110 079151	L180/D110 069961
Ø 120			L20/D120 079014	L90/D120 079168	L180/D120 069978
Ø 130	✓		L20/D130 079021	L90/D130 079175	Production on request
Ø 140			L20/D140 079038	L90/D140 079182	
Ø 150			L20/D150 079045	L90/D150 079199	
Ø 160			L20/D160 079052	L90/D160 079205	
Ø 170		—	L20/D170 079069	L90/D170 079212	
Ø 180			L20/D180 079076	L90/D180 079229	
Ø 190			L20/D190 079083	L90/D190 079236	
Ø 200			L20/D200 079090	L90/D200 079243	
39 & 50 LG	✓ with adapter 28L				
110, 160 & 220 LG	✓ with adapter 32L				

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

ADAPTERS	28L M28 Ø32 064492	32L M32 Ø32 064515
39 & 50 LG	✓ 28L M28 Ø32	
110, 160 & 220 LG	✓ 32L M32 Ø32	

Pre-heating & Fretting - Préchauffage et Frettage

> Ø 200 & < Ø 300	Production on request		
110, 160 & 220 LG	✓ with adapter 32L		

Brasing - Brasage

*= original equipment	L90 BRAZ 16 Ø 1/2" / 16 mm 076907	L90 BRAZ 28 Ø 1" / 28 mm 076921	L180 BRAZ 16 Ø 1/2" / 16 mm 076914	L180 BRAZ 28 Ø 1" / 28 mm 076938
110, 160 & 220 LG	✓ with adapter 32L*			

Protection kit for BRAZ inductors
- Kit de protection pour inducteurs brasage
077515

Exchanger - Échangeur

L180R X
Production on request

110, 160 & 220 LG	✓ with adapter 32L

COMPLETE Ø28 INDUCTORS

	C20/B1 056862	C180/B1 056879	C180/B2 056886
37 LG	—		
39 & 50 LG	✓*	✓	
110, 160 & 220 LG	—		

TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

	TROLLEY IW1	115
	MULTITOOL TRUCK	115

CAR LIFTS

	SPOT LIFT	116
NEW	QUICK LIFT / AIR JACKS	118
	ERGO LIFT	119
NEW	MANUAL DOOR LIFT / WHEEL LIFT	120

TRUCK TOOLS

TROLLEY IW1

Impact wrench trolley - Support de clé à choc

max 6.5 bar

max 20 kg

063136

Youtube

OPTIONS

Huile hydraulique - Hydraulic oil 1 l
053397



MULTITOOL TRUCK

SAFE EN 14238 + A1

max 200 kg

067158

INCLUDED

Lifting tool for brake caliper - Outil de levage pour étrier de frein - Hebewerkzeug für Bremssattel

Brake caliper

Lifting tool for battery - Outil de levage pour batterie - Hebewerkzeug für Batterie

Truck batteries

Lifting tool for wheels - Outil de levage pour roues - Hebewerkzeug für Räder

MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar | SAFE EN 1494

max 2.2 t

064843

HEALTH CARE



High stability - Haute stabilité

Included
220 bar
053588

SAFE EN 1494

SECURITY

Youtube

OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1 L
053397



Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236

AUTO ROLL



AUTO ROLL 1.0 m / 1.2 t
059047

AUTO ROLL 1.55 m / 1.2 t
063839

AFTER LIFT AUTO ROLL



067967

45 Kg

WHEEL TROLLEYS - Tabourets de manutention - Radhocker

048768



MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar

071995



SPOT LIFT PRO

max Air 8 bar | SAFE EN 1494

max 2.2 t

053557



Youtube



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW

048751

Pads - Patins
for Audi & BMW
(x 2)
053717

Ramps - Rampes
700 x 200 x 80 mm
(x 2)
056787



SPOT LIFT PRO MOB

max Air 8 bar | SAFE EN 1494

max 2.2 t

055896

Youtube

OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW

061248

Patins - Pads
for Audi & BMW
(x 2)
061606

Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787



QUICK LIFT L520E

062184

SAFE EN 1493

2.5 t max

220 V, 1 ph
0.75 kW

4 m

Included
Hydraulic oil 5 L
- Huile hydraulique
5 L
062160

Youtube





Made in China

OPTIONS

Extensions 1680 mm x 2
066328

x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017

Wall mount -
Support mural
071926

AIR JACKS

DOUBLE BAG AIR JACK

082878

Pressure : 8 bar (116 PSI)
Weight 12 kg

60 x 52 x 14.5 cm
14.8 kg

SAFE EN 1494

12 kg
LIGHT & COMPACT

Included

FAST : 4s

Low profile



Pad :
+ 6 cm

3T max

max :
40 cm
(+ pad)

max :
34 cm

min :
12 cm

STABILITY

NEW
06/2024

TRIPLE BAG AIR JACK

082885

Pressure : 8 bar (116 PSI)
Weight 14 kg

62 x 56.5 x 18 cm
17.8 kg

SAFE EN 1494

14 kg
LIGHT & COMPACT

Included

FAST : 4s

Low profile



3.2T max

max :
49.5 cm
(+ pad)

max :
43.5 cm

min :
14.5 cm

STABILITY

NEW
06/2024

ERGO LIFT 1000 ROLL

Air 7-8 bars

SAFE EN 1493

max 2.5 t





High stability - Haute stabilité

PATENT PENDING

Handle for adjusting the automatic locking support arms
- Poignée de positionnement des bras porteurs avec verrouillage automatique

SAFE EN 1493

included :
(x 4) 4 cm + (x 4) 6 cm





OPTIONS

Pads for SUV x4
- Patins pour SUV x 4
065017

Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717

Capacity :
max 3.5 t







Pack ERGO LIFT 1000 ROLL + wheels

076792

ERGO LIFT 1000 ROLL
067950

Pump
082977

Wheel kit
076778

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984

ERGO LIFT 1000 ROLL
067950

Pump
082977



Wheel kit
076778

Ramps
082717

MANUAL DOOR LIFT

Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670

Manufactured by GYS = SUPER PRO



Option

Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700

NEW

MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385

Manufactured by GYS = SUPER PRO



+

ACCESSORIES

WELDING HELMETS	122
FUME EXTRACTION	125
WINDSCREEN REPAIR	126
BUMPER REPAIR	128
HAND TOOLS	130
PNEUMATIC TOOLS	134
WORKING LIGHTS	136
SANDING & DUST EXTRACTION	138
WORKING SUPPORTS	140
ELECTRIC VEHICLES	144
SAFETY PROTECTION	146

HELMETS
TECHNOLOGIES

Teinte initale - Initial shade



Classic | **ULTRA CLEAR**

Spectre de couleur - Spectrum view



Classic | **TRUECOLOR**

Classification - X=/X=/X=/X=

1/1/1/1 = PERFECT QUALITY

(1) Optical quality (distortion). (2) Light diffusion (contrast). (3) Variation of light transmission (homogeneities of the dark shade). (4) Angular light (diagonal light ray filter).

(1) Qualité optique (distorsion). (2) Diffusion de la lumière (contraste). (3) Variation de la transmission lumineuse(homogénéités de la teinte foncée). (4) Lumière angulaire (filtre de rayons lumineux diagonaux).

Headgear - Serre-tête

Simple | Multi | **Multi Pro** | **Multi Premium**

Comfortable back

WELDING HELMETS
9-13

IDEAL

GYSMATIC 9-13 G
043909

100 x 60 mm | 0.08 ms

GRIND | ×4 | TRUECOLOR

WELDING HELMETS
5-9/9-13

Multi Premium

ALIEN XXL +
068698

100 x 93 mm

0.08 ms

GRIND | ×4

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR

Body repair recommanded

COMING SOON

Multi Premium

GYSMATIC AUTO PRO
082809

100 x 93 mm

0.08 ms

GRIND | ×4

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR

DIGITAL | **MEMORY & REGULATIONS ELECTRONIC**

Multi Pro

GYSMATIC 5-13 G XXL
037236

100 x 93 mm

0.04 ms

GRIND | ×5

ULTRA CLEAR 2 | DIGITAL | TRUECOLOR

PANORAMIC

Fixed shade 5 | 4-5-9/9-13 Adjustable | Fixed shade 5

APOLLO + 3/5-13 G
068681

100 x 67 mm

0.08 ms

GRIND | ×4 | PANORAMIC

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR

Multi Premium

Shade 3-10 | 3-4-8/8-12 Adjustable | Shade 3-10

PANORAMIC 3XL
037281

114 x 85 mm

0.04 ms

GRIND | ULTRA CLEAR 3 | CLASS 1/1/1/1

PANORAMIC | ×4 | ULTRA CLEAR 3 | TRUECOLOR

OPTIONS

Carry bag for helmet welding - Sac pour masque de soudage
043299



066656



Antiperspirant-headband - Bandeau anti-transpiration

043466 **for Multi Premium, Multi Premium Pro, Multi, Simple**

062627 **for Multi Pro** x2

070844 **for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL**

Magnifying glass - Loupe

for Zeus, Ergotech & Alien True Color x1

zoom x2
042780

zoom x3
064140

LENSES - Verres - Schutzgläser



114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886
114 x 133 (x10)	043893	104 x 96 (x5)	043596
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	077102
390 x 150 (x3)	037311	special kit (x1)	037304

		TRUECOLOR		HF	DELAY									MASK BRAND
GYSMATIC 9-13 G	4 - 9>13	■	0.08 ms	✓	0.1 > 0.9s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	580 g	Gys
GYSMATIC ALIEN XXL + GYSMATIC AUTO PRO COMING SOON	3 - 5>9 / 9>13	■	0.08 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 (CR 2032)	**Multi Premium**	540 g	Gys
GYSMATIC 5-13 G XXL	2 - 4>9 / 9>12	■	0.04 ms	✓	0.06 > 1.2 s	1/1/1/2	5 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 (CR 2032)	**Multi Pro**	550 g	Gys
APOLLO + 3/5-13 G	3 - 5>9 / 9>13 + 2x : 5	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XL : 100x67 + 2x103.7x69.5 mm	■	✓	☼ + 2 (CR 2032)	**Multi Premium**	585 g	Gys
PANORAMIC 3XL	3 - 4>8 / 8>12 + 2x : 3>10	■	0.04 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	■	✓	☼ +2 (CR 2045)	Multi	610 g	Gys

HELMETS
VENTILATED

IDEAL

DIGITAL

MEMORY & REGULATIONS ELECTRONIC

GYSMATIC 3/9-13 G AIR
065727
: 069602

100 x 60 mm

0.08 ms

GRIND · ×4 · ULTRA CLEAR 3 · TRUECOLOR

GYSMATIC 5-13 G AIR XXL
047846
: 028852

100 x 83 mm

0.1 ms

GRIND · ×4 · CLASS 1/1/1/1 · DIGITAL · TRUECOLOR

included with GYSMATIC 5/13 G AIR XXL

Filtration class EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION Filter TH3
065734

Battery charger
037472
: 028869

Battery included
037465

x1
038424

x5
038417

LENSES
- Verres
- Schutzgläser

					TRUE COLOR		HF	DELAY							L × W × H cm / g	MASK BRAND
114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886	**GYSMATIC 3/9-13 G AIR**	3 - 9>13	■	0.08 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	28 × 25 × 28 / 1230	Gys
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825	**GYSMATIC 5-13 G AIR XXL**	4 - 5>9 / 9>13	■	0.10 ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x83 mm	■	✓	☼ + 2 (CR 2450)	**Multi Pro**	27 × 25 × 28 / 1000	Gys

FUME EXTRACTION SYSTEMS - Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.0 RE

- 400 V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max

- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545

EVO 2.1 RE

- 230 V 1 ~
- 50 Hz
- 1 100 W
- 1 200 m³/h max
- occasionnal

- arm 3 m
- included
- 85 kg

96 x 95 x 162 cm / 114 kg

061552

Patented - Breveté

Included
Pré filtre, treillis Aluminium
Class of filtration G3 EN 779
+ Filtre - Coal Filter EPA E12
EN 779, Filtration >99.5 %

046467

Options

Filtre à charbon actif - Coal filter
UNI 2.0 RE

064522

Extraction flexible
10 m, Ø 152 mm
UNI 2.0 RE
EVO 2.1 RE

062139

Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ Filtre - Coal Filter HEPA H13
EN 779, Filtration >99.95%

046498

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos

Steel/Stainless steel - Acier/Inox - Stahl/Edelstahl				
	AIR			LIQUID
	150 A	250 A	350 A	500 A
original equipment	M6	M6	M8	M8
	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2
X % 40°C - $ArCo_2$	150A - 60%	200A - 60%	290A - 60%	380A-100%
GRIP	GRIP	GRIP	GRIP	GRIP
L	3 m	3 m	4 m	4 m
Ref.	043251	040540	040557	040564

BINZEL

For fume Extraction Torches - Pour torches aspirantes

BINZEL
073715

- 230 V / 1 ~ , 1 100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Filter auto cleaning system - Système de nettoyage automatique du filtre - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included :
5 m, Ø50

- External evacuation Ø50 (hose not included)
- Évacuation extérieure Ø50 (tuyau non inclus)



PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare–brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb

MADE IN HIGH QUALITY GERMANY

057654

included
Axe enrouleur
068100

included
65 m
resistance 170 kg
Ø 0.79 mm
058125

optional
65 m
resistance 190 kg
Ø 0.92 mm
069275

OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare–brise - Druckluft-Trennmesser für Windschutzscheiben

057623



Included
57 mm
057845

90 mm
057852

8 mm
057876

35 mm
057838

U
36 mm
057869

WINDSHIELD CUTTING KIT - Système de découpe pare–brise à cliquet - Set zum Lösen von Windschutzscheiben

054738

DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz

053120



WINDSHIELD CUTTING TOOL - Outil découpe pare–brise - Windschutzscheiben Demontage-Set

051935

WINDSCREEN JOINT–CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898

Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle

051911

Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
-Vierkant-Draht, 50 m Rolle

051881

REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie–glace - Wischerarm-Abzieher

UNIVERSEL
057630

EXPERT

Accès difficile
- Difficult access
057647

SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser

056695





051966

x 6
057609



COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086

2 SPEED

sander Ø75
057494

polisher Ø75
058224

052055

052062

052079

Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)

P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare–chocs - Stoßstangen Reparatur Kit

052925

INCLUDED :

x20 x20 x20 x20 x20

MADE IN TAIWAN

PORTABLE

Battery operated - Sur batterie

058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN

INCLUDED :

Ø 0.6, x100 Ø 0.8, x100

Ø 0.6, x100

Staples - Agrafes

	V	U	N	W	M
	Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
	x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952
052413 =	x 50 +	x 50 +	x 50 +	x 50 +	x 50

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger

PRO +
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm

FREEZER

Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12)
048898

TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs

076518

x15
076525

HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset

320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072

Ø 5 mm 066694 Ø 8 mm 066700

Youtube



plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		▬ 6 mm	x 10	067622
		▬ 8 mm	x 10	066298
	ABS	▲ 4 mm	x 10	071322
		▬ 8 mm	x 10	071339

	Station	PP/EPDM ▲ 4mm (x10)	PP/EPDM ▬ 6mm (x10)	PP/EPDM ▬ 8mm (x10)	Pressure wheels	Mini milling machine	Scraper
064072	✓						
070974	✓						



Scraper - Grattoir
068032

Pressure wheels
- Roulette de compression
058231

Tungsten drill
Ø 5 mm
included
063235

Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset

1 600 W - 230V - 50/60 Hz
max. 230 l/mn
1.3 kg / Ø100 x 300mm,
poignée Ø 56mm.

057678





MULTI–CLIP PLIER - Pince multi-clip

083813

DURABLE HIGH-CARBON STEEL

NEW

BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set

052932 =



WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

å 64 kg
Capacity 320 kg

Complete carbody workstation
080119

Workstation only
076143

included

HAND CHISEL FOR CAR BODY
- Burins
- Meißel für Karosserie

057586

057593

SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 SCRAPING KNIFES
- Couteaux racloirs

061439

SET OF 3 CHISELS - Lot de 3 burins de séparation éléments collés - 3 Meißel

076754

SET OF 30 TOOLS FOR SCRAPING/SANDING AND PAINT REMOVAL - Outils de dégarnissage et raclage - Polster & Schaber Kit

057616

HAND TOOLS - Ausbeulwerkzeug

● **FULL PACK =**
061637

MADE IN GERMANY

MADE IN HIGH QUALITY GERMANY

+ ● **MEDIUM PACK**
051133

PLANISHING HAMMER BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc

MADE IN GERMANY

Corrosion resistant

ALU HAMMERS
- Marteaux alu

020986

PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4 DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit

057579

SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit

057579

NEW

FORMING TOOLS - Outils de forme - Formgebungswerkzeuge

051195

BODYWORK BUMPING MALLET - Maillet souple caoutchouc
- Karosserie-Schlaghammer

083479

CONTOUR GAUGES - Jauges de profil - Kontourenlehre

052840

057265

LIP PLIER - Pince à lèvres - Falzzange gebogen

079649



DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102



DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug

NEW

083424

GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752

FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz

060791



MULTI–CLIP PLIER - Pince multi-clip

DURABLE HIGH-CARBON STEEL

083813

NEW

BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175

0 - 2.5 mm (x10)
082182

2,5 - 5 mm (x 10)
082199

POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)



TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695

MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)



MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)

FLAT NOSE LOCK-GRIP PLIERS - Pinces étau à bec plat

062719



AXIAL-GRIP PLIERS - Pinces axiales

050242



LOCK-GRIP PLIERS - Pinces étau mono serrage

280 mm
061378

610 mm
061354



460 mm
061361

Flat noze - 610 mm
061347

Flat noze - 460 mm
050112



KIT :
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829

Included (x1) 052468

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248



Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	84	91	6.2	10	0.6

MINI-FLEXIDISC LAMELLES ZIRCON
Ø 50 mm
K 40 (x10) 058255
K 60 (x10) 058262
K 80 (x10) 058279

LONG HANDLED ANGLE GRINDER
- Meuleuse d'angle - Druckluft-Winkelschleifer

057753

± 1.6 mm, x5 057883
± 0.8 mm, x5 058217

Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle
- Mini-Druckluftwinkelschleifer geräuschgedämpft

051867

(x1) 052772

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	200	86	85	6.2	18	0.75

SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
5000	—	85	255	6.2	10	0.8

AIR BELT SANDER - Ponceuse à bande à tête orientable
- Druckluft Bandschleifer

060906



Grain 60 (x 5) 060913
Grain 80 (x 5) 060920
Grain 100 (x 5) 060937
Grain 36 céramique (x 5) 062535

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16 000	171	6.3	34	1.2

AIR BELT SANDER
- Ponceuse à bande à tête orientable
- Druckluft Bandschleifer

052819

Grain 80 (x 10) 052833
Grain 36 céramique (x 20) 062528

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE
- Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	500	81	85	6.2	18	0.7

AUTOMATIC MANDREL DRILL
- Perceuse mandrin automatique
- Druckluftbohrmaschine m. Schnellspannfutter

051799

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775

Roue gomme 115 x 14 mm 051874
Roue à décaper 115 x 14 mm 051843
Adaptateur pour brosse 051768
Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598
Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812
Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
4000	500	86	102	6.2	280	1.2

PNEUMATIC FLANGE / PUNCHING TOOL
- Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absatzzange

079892 Ø 8mm 0,8 > 1,2 mm
052543 Ø 5mm 0,8 > 1,2 mm

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228



Option
Tungsten drill Ø 6 mm 054172

PUNCHING TOOL FOR OVAL HOLES
- Outil de poinçonnage oblongs
- Langlochkarosserieblechzange

6 mm 20 mm 052437
8 mm 20 mm 067264

BODY ZIPPER - Sertisseuse pneumatique
Pneumatic Crimper - Druckluftkantenformer

056930

Air pressure bar	cm	kg
5	28	2.1

LASER CORD METAL SHEET CUTTER (NIBBLER)
- Dépointeuse pour cordon laser ACIER
- Trennwerkzeug für Lasernähte

054165

STEEL Included 054172

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL
050464



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	400	85	140	6.5	35	2.3

Ø 8
Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

Spot remover drill - Forets de dépointage - Schweißpunktfräse
Tungsten Carbide for BORON/UHSS

	Ø 8 mm	Ø 9 mm	Ø 10 mm
3-edge	053069	069763	053076
4-edge Efficiency ++ Durability ++	059849	069770	

Youtube

PACK
SPOT DRILL + 140 mm
061460

3-edge Ø 8 mm 053069
140 mm 061453

HAND LAMPS - Lampes baladeuses - Handleuchte

PORTABLE HAND LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

7 x 4 x 23 cm / 0.3 kg
14 x 7 x 24 cm / 0.5 kg

059153

PRO PORTABLE LAMP 600 L
250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time :
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

IP 54
3 x 6 x 19 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060883

INSPECTION LAMPS
- Lampes d'inspection - Inspektionslampen

INSPECTION HEADTORCH 280 L
100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65
8 × 5 × 4 cm / 0.1 kg
5 x 11 x 18 cm / 0.2 kg

060845

360° PORTABLE WORKSPACE LAMP 1000 L
60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

IP 54
26 x 7 x 7 cm / 0.5 kg
8 x 8 x 35 cm / 0.7 kg

059764

MINI INSPECTION LAMP 200 L
120-200 lumens

COB LED, 80 CRI, 6500 K
3.7 V - 700 mAh Li-ion
micro USB charging (2.5 h)
mains charger not included
operating time
High position : 1.5 h
Low position : 4 h
Top light : 3.5 h
IP 20
18 x 3 x 3 cm / 0.1 kg
18 x 5 x 3 cm / 0.2 kg

060852

MINI INSPECTION LAMP 350 L
0-350 lumens

Aluminium Body

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894



PRO INSPECTION LAMP 800 L
120-800 lumens

Aluminium Body

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900



LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied - LED-Arbeitsleuchte mit Standfuß

TRIPOD LAMP 1800 L
1800 lumens

3× 55 COB LED
total 165 LED

1.8 m power cord

059146

95 x 15 x 14 cm / 3.2 kg



TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED

2 m power cord

IP 44

059979

100 x 20 x 9 cm / 3.6 kg
103 x 22 x 10 cm / 4.1 kg

TRIPOD LAMP 4000 L
4000 lumens

3× 20 COB LED,
total 60 LED

3 m
power cord

059986

21 x 15 x 114 cm / 5.7 kg
22 x 116 x 117 cm / 6.4 kg



UNDER BONNET LAMPS - Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET HAND LAMP 600 L
500-1000 lumens

120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

22 x 11 x 68 cm / 1.8 kg
24 x 12 x 70 cm / 2.3 kg

059962



UNDER BONNET LAMP AND TRIPOD 800 L
250-800 lumens

120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h

60 x 10 x 7 cm / 1.2 kg
61 x 15 x 12 cm / 2 kg

058002



DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung



4500 K
400 lumens

SUNCOLOR 1
COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time : 3 h
6 x 3 x 19 cm / 0.6 kg
22 x 14 x 10 cm / 0.7 kg
IP 65

058477

3 COLORS
2700 - 4500 - 6500 K
350-420-450 lumens

SUNCOLOR 3
COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
4 x 6 x 9 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060838

5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K
500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
7 x 23 x 20 cm / 1.2 kg
9 x 25 x 24 cm / 1.9 kg

060876



5 COLORS
2500-3500-4500-5500-6500 K
50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI +, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
4 x 6 x 19 cm / 0.3 kg
8 x 9 x 21 cm / 0.5 kg

061651

SCANGRIP COLOUR MATCH

UV CURING - SÉCHAGE UV
UV LED λ 395-400 nm
Irradiance 6-15 mW/cm²

NOVA-UV S
3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
7 x 17 x 16 cm / 0.9 kg
7 x 17 x 18 cm / 1 kg

061620

SCANGRIP

FILM COATING THICKNESS GAUGE
- Détecteur épaisseur de peinture

059856

Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793



ELECTRIC SANDER & POLISHER
- Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
27 x 15 x 10 cm / 1.5 kg
37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight
& Compact
((No vibration))

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/mn
Drum capacity : 30 L
Drum material : stainless steel

33 x 33 x 63 cm / 4.9 kg
38 x 38 x 67 cm / 7.8 kg

Manual
or
automatic

4m
Input Ø 32 mm
Mains cable length 4.5m

GYSDUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM
PATENT PENDING — BREVET GYS GYS PATENT

Depression 1150 mm H2O
Air flow 600 l/min
Air consumption 340 l/min

Adjustable sander pressure - Pression ponçeuse ajustable
5 bar max

49 x 48 x 88 cm / 21.5 kg
81 x 40 x 49 cm / 24.1 kg

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

- ROBUST
- QUICK & SAFE
- LOW AIR CONSUMPTION (5 bar)
- NO ELECTRIC MOTOR
- ENERGY SAVING

PRO ★★★

Option : 5m Ø 29 mm 083165

Option : 10m Ø 29 mm 076013

Included
Earth clamp
safety

Sanding discs box*
- Rangement pour disques de ponçage*
** discs box not included - disques de ponçage non inclus*

Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Maintenance free
- Aucune maintenance

Consumables



Sac à poussieres -
Filter bag
Capacity 5 kg

Included x1

x 5
058880

Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV

Ø 150 mm
071346

2 MODELS

GYSDUST EXTRACTOR
MANUAL
Manual start
- Démarrage manuel

071353

GYSDUST SELF EXTRACTOR
PATENT PENDING — BREVET GYS GYS PATENT

AUTOMATIC
Automatic start
- Démarrage automatique

077058

ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments - Ergonomische Pro-Unterstützung für Malelemente

082656

NEW 05/2024







FRAMES SUPPORT - Tréteaux - Klappböcke

Adjustable catenary
- Chainette réglable

Protecting foam -
Mousse de protection

Non-slip base
- Antidérapants

040601
105 x 33 x 9 cm / 6.3 kg
107 x 35 x 10 cm / 6.7 kg

040250
100 x 105 cm - 7.1 kg
104 x 10 x 32 cm / 7.5 kg

083875
14.4 kg
108 x 9 x 47 cm / 16.5 kg

040311
106 x 31 x 6 cm / 6.6 kg
106 x 31 x 11 cm / 9.7 kg

Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteller zur Fixierung von Glasscheiben

040304
105 x 109 cm / 7.2 kg
107 x 32 x 10 cm / 7.8 kg

Light and easy to handle
Ideal for horizontal works
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position

ROTARY ELEMENT SUPPORT - Support pare-chocs - Lackierständer für Stoßstange, einstellbar

052376
50 x 70 x 10 cm / 7.3 kg
60 x 77 x 12 cm / 8.3 kg

Adapted to wing mirror covers -
Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

TELESCOPIC FRAMES SUPPORT - Tréteaux téléscopiques - Teleskopböcke

070677
29 kg

NEW 08/2024



MADE IN HIGH QUALITY POLAND

070677
16.5 kg



ROTARY ELEMENT SUPPORT - Support élément rotatif - Lackierständer für Stoßstange, einstellbar

1.5 mm

2 mm

052611
200 x 101 cm - 19 kg
112 x 35 x 13 cm / 23 kg
Made in China

PRO
056725
200 x 105 x 81 cm - 21.5 kg
120 x 26 x 18 cm / 22 kg

MADE IN HIGH QUALITY POLAND

WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes - Lackträger für 2 Felgen

082168
83 x 45 x 35 cm / 25 kg



MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

083905
132 x 95 x 91 cm / 35 kg
109 x 92 x 27.5 cm / 37 kg

NEW

x 4 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60,100, 100 cm

PREMIUM MASKING MACHINE - Chariot de luxe marouflage - Abdeckpapier-Ständer

057333
150 x 133 x 62 cm / 31 kg
152 x 30 x 18 cm / 31.5 kg

x 5 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30 > 120 cm

OPTION

Ø 40 mm
x 6
058897

MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

MADE IN HIGH QUALITY POLAND

056954
150 x 62 x 110 cm / 11 kg
154 x 30 x 19 cm / 12 kg

x 3 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 90 cm

STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen

059825

106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen

059832

50 x 150 cm
/ 11.3 kg
155 x 18 x 12 cm
/ 13.8 kg

STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen

040243

71 x 90
x 197cm
/ 41 kg

x2 :
90 x 6
x 147 cm
+ 97 x 74
x 24 cm

UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer

083868
56 kg
102 x 72 x 27 cm / 59 kg

NEW

FOLDING STEP STOOL - Marche pied (Aluminium) - Arbeitspodest klappbar

080041
7.3 kg
100 x 39.5 x 19 cm / 8.1 kg

ALU
150 kg max

057562
7.9 kg
102 x 39 x 19 cm / 8.5 kg

ALU
150 kg max



058552
113 x 41 x 16 cm / 16 kg
117 x 42 x 17 cm / 17 kg

ALU
150 kg max



MOBILE RACK FOR CAR BODY REPAIR - Rack mobile pour éléments de carrosserie

082472
128 x 30 x 15 cm / 20 kg
18.8 kg

NEW

150 kg max



FLAP LOCK - Tiges de blocage

056732



ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 5.2 kg
41 x 19 x 41 cm / 5.6 kg

ROUND STOOL WITH STORAGE - Tabouret d'atelier 3 tirroirs

079878
47 x 35 x 43 cm
38.5 x 37 x 38.5 cm - 13 kg

MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege

057548
102 x 43 x 11 cm / 5.3 kg
104 x 45 x 13 cm / 6 kg

2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege

079861
102 x 40 x 14 cm
40 x 13 x 63 cm - 7,6 kg

WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

076143
64 kg
Capacity 320 kg

MOBILE WORKSTATION - Table de travail mobile

079465
120 x 82 x 18 cm / 40.3 kg

100 kg max

WORKSTATION 3 SHELVES - Servante 3 plateaux

068056
77 x 53 x 21 cm / 18.2 kg

1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP - Table élévatrice mobile 1 tonne avec pompe hydropneumatique - Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe

083912
Weight : 385 kg



Hydropneumatic pump
- Pompe hydropneumatique

110 s
30 s
6-8 bar



1.2T LIFTING TABLE FOR ELECTRIC VEHICLE BATTERIES - Table de levage 1.2T pour batteries de véhicule électrique - 1,2T Hubtisch für Elektrofahrzeugbatterien

083929
Weight : 760 kg



230 V ~1 phase
50 Hz

FAST : **45 s**
PRECISE : **170 s**
40 s

EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES - Équipements pour opérations sur véhicules électriques & hybrides - Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018

INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025

25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V
- Box mit 25 isolierten Werkzeugen 1000V
066489

7/8/10/12/14/15/17/19/22 mm sockets - Douilles 7/8/10/12/14/15/17/19/22 mm	x 9
175 mm universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cluqiet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Open ended wrenches 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
Philips PhH1x100/PhH2x100 mm screwdriver - Tournevis Philips PhH1x100/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2

Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "*Danger, working area EHV*" - Pancarte de signalisation "*Danger, zone de travail VEH*"	x 2

TROUSERS - Pantalon - Hose

EN ISO 11612 A1+A2-B1-C1-E3-F1
EN ISO 11611 Class 2-A1 & A2
EN 1149-5
IEC 61482-2 Class 1-4kA
EN 14404 +A1 Type 2

98% cotton, 2% antistatic

S (40/42) 046368
M (44/46) 046375
L (48/50) 046382
XL (52/54) 046399
XXL (56/58) 046412

JACKET - Veste - Jacke

IEC 61482-2 Class 1-4kA
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 14404 +A1 Type 2
EN ISO 11611 Class 2-A1 & A2
EN 1149-5

98% cotton, 2% antistatic

S (40/42)	046313
M (44/46)	046320
L (48/50)	046337
XL (52/54)	046344
XXL (56/58)	046351

HEAT COVER - Couverture anti-chaleur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204

PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595

PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

SET OF 2 MAGNETS
- Jeu de 2 aimants
- Schweißmagnet

(x2)
052291

MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke

1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.O
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470

OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias

FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021

FFP3 - EN 140 / EN 143
(x1) Size M/L
037014

Étui / Case
037045

FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

PROTECTION GOGGLES
- Lunettes de protection - Schutzbrillen

EN 166

Shade/IR0
042810

Shade/IR0
042827



Shade/IR5
042841

Shade/IR0
047778

Shade/IR0
047792

Shade/IR0
042865

Shade/IR0
047839

GLOVES - Gants - Handschuhe - Guantes

Anti-cut
- Anti coupure
T9
045897

EN388
4342

✓ **touch screen friendly**
- écran tactile
High resistance anti-cut
Anti coupure haute résistance
EN 420
EN 388:4121
T9 : **045910**
T10 : **045927**

High dexterity anti-cut
- Anti coupure haute dextérité
EN 420
EN 388:1121
T9 : **045903**
T10 : **045934**

Cuir Leather Leder

T10
064188

EN420
2003

Ultra Flexible

EN388
2003

EN388
4244

EN 407
424X4X
EN12477
Class : A1

Heavy Duty T10
(MMA - MIG - Plasma)
045101

Cuir Leather Leder

EN388
2122

EN 407
322X2X
EN12477
Class : A1

Gants PRO TIG
T10
045194

EN388
4244

EN 407
424X4X
EN12477
Class : A1

Reinforced welding gloves
- Gants de soudage renforcés
T10
045873

Cuir Leather Leder

EN388
2011XX

EN 407
41313X
EN12477-B
EN 420

Gants PRO TIG EXTRA
T10
045323

MULTI-USE LEATHER APRON
- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze

Cuir Leather Leder

PRO
045217

GYS

★★★★★ **THEY TRUST US** ★★★★★

ILS NOUS FONT CONFIANCE

DACIA · NISSAN · PEUGEOT · Ford · VOLVO · LAND ROVER · JAGUAR · MERCEDES · smart · EvoBus · DODGE · VOLKSWAGEN GROUP · LANCIA · ALFA ROMEO · TESLA · FIAT · ABARTH · Jeep · TATA · EICHER · GM · KIA · 红旗 · BYD · NIO · Li Auto · AITO · ZEEKR · LYNK&CO

INVEST IN THE FUTURE

French manufacturer
since 1964

2024B

Collision Repair

Solutions Réparation Carrosserie
Karosseriereparatur
Attrezzature Riparazione Carrozzerie
Reparación de Carrocería

LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr

GYS FRANCE

HEADQUARTERS

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France

Tel +33 2 43 01 23 60
E-mail service.client@gys.fr

ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53810 Changé - France

Tel +33 2 43 01 54 33

GYS GERMANY

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS ITALIA

Via Porta Est, 7
30020 Marcon - VE
Italia

Tel +39 041 53 21 565
E.mail italia@gys.fr

GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu
Shanghai
China

Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS IBÉRICA

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España

Tel +34 917 409 790
E.mail iberica@gys.fr

MARKETING

Display stand
- Podium de présentation
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211



Flag - Oriflamme
3 x 0,50 m
098015

Barnum
3 x 3 m
098022

Open barnum
2 x 2 m
098039



Retail display space with 2 shelves
- Linéaire de vente avec 2 étagères
- Lochwandregal mit 2 Böden (machines not included)
060784

Distributed by

095113 • To report errors in the catalog, contact: catalogues@gys.fr. Document not contractual. GYS reserves the right to modify the specifications of the machines without prior notice. • Pour signaler des erreurs dans le catalogue, contactez : catalogues@gys.fr. Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils. • Irrtümer und Änderungen vorbehalten. • I.P. - 317 g - printed on April 2024